

SMARTER SHADES

Need Help?


Freecall: 1800 254 631

Email: sales@petermeyerblinds.com.au









AUTOMATE APP

The Automate Pulse2 App enables sophisticated shade control straight from any iOS or Android smart phone or tablet.

Utilise the Automate Pulse2 App to group shades by room or scene, establish custom schedules and set timers for convenient and efficient shade control.

POWERED BY ARC

ARC™ (Automate Radio Communication) is Rollease Acmeda's proprietary, bi-directional communication technology that brings the Automate motorised shade systems together. ARC communicates the status of shade positioning and battery health straight to the Automate App.







VOICE CONTROL

Utilising voice commands, operating Automate controlled shades is now more convenient than ever.

Automate takes advantage of native integration for shade control with Apple HomeKit & Siri, Google Home & Assistant and Amazon Alexa. The "native" control responds to the user's naturally-spoken language for shade operation and does not require any additional set-up.

Alternatively, shades can be synchronised with smart devices and actions with IFTTT.

HOME AUTOMATION SYSTEMS



Control shades, lighting, entertainment, security, climate and other connected devices via one convenient control system.

Automate is compatible with a variety of premium home automation systems of these solutions to enable shade control.



For home automation systems outside this compatibility list, simply use the Automate Relay Module to bridge the connection between the smart system and Automate motors.





















AUTOMATE PUSH REMOTES

The cutting-edge design of the new Automate Push remotes is modern, simple and functional.



Available in gloss white or matte black finish, Push remotes feature a tactile button layout for improved usability.

ARC



AUTOMATE PARADIGM WALL SWITCHES

Automate Paradigm wall switches feature 15 channels within a contemporary design. The wireless Paradigm controllers are retro-fit ready, making them perfect for all motorised shade applications.



ARC MOTION SENSOR

Installation of an ARC Motion Sensor allows for protection of external awnings from the elements.

The ARC Motion Sensor can detect movement and strong vibrations, such as wind, triggering the motor to automatically close the awning.



SOLAR POWERED ARC WIND & SUN SENSOR

The solar powered wind and sun sensor will naturally react to the elements to automatically open or close an awning, always providing a comfortable external environment or protection of the awning.



ARC





Automate Wire-Free Li-ion Zero Q1.1 5V, 1.1Nm, Ø25mm, 20-28RPM, 552mm long

Automate Wire-Free Li-ion Zero Q1.1 Short 5V, 1.1Nm, Ø25mm, 20-28RPM, 479mm long



Automate Wire-Free Li-ion Zero Q2.0 5V, 2.0Nm, Ø28mm, 20-28RPM, 649mm long









Automate Wire-Free Li-ion Q3.0 5V, 3.0Nm, Ø35mm, 20-28PRM, 849mm long






Automate Wire-Free Li-ion Q10 5V, 10.0Nm, Ø45mm, 9RPM, 816mm long



AUTOMATE SOLAR PANEL

With its smaller design and improved performance in low light, the new Automate Solar Panel offers an energy efficient upgrade for the entire Automate Wire-Free Li-ion range of motors.





AUTOMATE DC ROLLER MOTORS

Automate DC motors are an excellent choice for motorising roller shades in the residential space or for small commercial projects.

The Automate DC Roller Motors connect with low voltage cables, so a qualified electrician is not required for set-up, therefore keeping installation costs to a minimum.

With the variable speed settings, the Automate DC Roller Motors can be fixed to a slower, quieter speed to suit small spaces.



Automate DC 1.1 12V, 1.1Nm, Ø25mm, 20-40RPM, 299mm long



Automate DC Q2.0 12V, 2.0Nm, Ø28mm, 20-28RPM, 437mm long





AUTOMATE E & M ROLLER MOTORS

For roller shades to suit medium to large windows and large commercial projects, the Automate E range of AC powered motors and the Automate M range of mechanical limit motors are the ideal hard-wired choice.



Automate E6 240V, 6.0Nm, Ø35mm, 28RPM, 579mm long



Automate M6 240V, 6.0Nm, Ø35mm, 28RPM, 473mm long







AUTOMATE EXTERNAL MOTORS



The Automate FT15 has been tailored for Rollease Acmeda's Zipscreen and External Wire Guide systems. When used with Rollease Acmeda's Ultra-Lock, a simple touch will activate the FT15 motor to automatically close, lock and tension the blind for increased stability and ease of use.

At the upper end of the scale, the Automate AX50 provides all the benefits of having smart shades with the lifting capacity required to control the Zipscreen Extreme and Wire Guide Extreme.



Automate FT15 240V, 15.0Nm, Ø45mm, 15RPM, 621mm long **ARC**



Automate AX50 240V, 50Nm, Ø45mm, 12RPM, 676mm long

Need Help?

Freecall: 1800 254 631

Email: sales@petermeyerblinds.com.au

