



**Blinds**  
by Peter Meyer

# SIMPLY CELL SIMPLY PLEAT



**Technical Brochure 2016**

# SIMPLY CELL - SIMPLY PLEAT

## Colours of rails and plastic components

Simply Cell and Simply Pleat blinds are available in 4 standard rail colours: white, silver, black-brown and brass. For many model types two additional colours are available: anthracite and brushed aluminium. The available colours for each model type can be found on the corresponding pages in this technical brochure.

Further RAL-colours are available on request. Please ask for prices and lead time.

**Rails and plastic components are delivered in the following colour combinations:**

	<b>Rail colour</b>	<b>Plastic colour</b>
	white (powder-coated)	white
	silver (anodised)	grey
	black-brown (powder-coated)	black
	brass (anodised)	black
	anthracite (powder-coated)	black
	brushed aluminium (brushed and anodised) (surcharge)	black

# SIMPLY CELL - SIMPLY PLEAT

## Operating options

### Operation of pre-tensioned blinds

There are 3 different operating handles and a handle bar to choose from. Some of the operating options depend on the selected model type.



#### Operating handle

- Orders without any remarks are delivered by default with this operating handle.
- Operation with the operating rod is not possible.



#### Operating handle for operating rod

- Orders for blinds with operating rod are delivered by default with this operating handle.
- When **ordering** an operating rod **afterwards**, the corresponding number of operating handles for operating rods must be ordered, too.



#### Design handle (surcharge)

- Visual upgrade by use of a powder-coated design handle made of high quality metal alloy.
- Retrofitting is not possible for the following model types: VS 3, 4 S, 5, 5 SD, 6, 6 SD.
- Operation with the operating rod is not possible.



#### Handle bar VS 2 Slide

- Orders for VS 2 Slide blinds are generally delivered with the handle bar.
- Due to the handle bar there are no protruding operating elements.
- Operation with the operating rod is not possible.

### Operation of freehanging blinds

There are 4 different operating options for freehanging blinds to choose from. These model types generally have a fixed head rail and a freely movable hanging with bottom rail.



#### Cord lock

- Through the operation of the cord the hanging of the blind is moved to the desired position.
- The cord lock ensures the latching.



#### Chain

- Through the operation of the chain the hanging of the blind is moved to the desired position.



#### F Touch

- Through the operation of the bottom rail the hanging of the blind is moved to the desired position.
- Not possible in combination with guide wires.



#### Motorised blinds

- The hanging of the blind is moved to the desired position through an integrated electric motor.

# SIMPLY CELL - SIMPLY PLEAT

## Operating options

### Operation of roof blinds

Roof blinds are mostly installed in roof sections of conservatories or under glass roofs. Here also, there are several operating options to choose from. Tension wires that run inside the roof blind, guide the blind parallel to the window.



#### Operating handle for operating rod

- Orders for PL blinds are delivered by default with this operating handle.



#### Operating handle

- Alternatively, this operating handle can be ordered for blinds within reach.

- Operation with the operating rod is not possible.



#### Crank

- The blind is operated by using a crank.



#### Motorised blinds

- The hanging of the blind is moved to the desired position through an integrated electric motor.

- It is operated by motorised

## Operating Aids

### Operating rod or crank



#### Operating rod without joint

- in combination with operating handle for operating rod (PL, DF)



#### Operating rod with joint

- in combination with operating handle for operating rod (VS, DF)



#### Operating rod DF Comfort

- for DFC blinds with handle bar



#### Crank

- for crank operated blinds

## Fitting options

### Fitting options for blinds

There are several ways to fit blinds. Depending on structural conditions, desires, needs and requirements, the appropriate fixing method is chosen. The made to measure blind can be fitted to almost any window or door.



#### Tension shoe

- for fitting in the window beading or face fixing



#### Clip

- for fitting in the window beading or ceiling or for face fixing



#### Beading bracket

- for fitting on the glazing bead



#### Bracket

- for fitting on the casement



#### Clamp bracket

- for screwless fitting on the casement



#### Adhesive rail VS 2 Slide

- for screwless fitting on the glass  
- with side channels and guided handle bar









#### Adhesive rail VS 2 KL

- for screwless fitting on the glass

# SIMPLY CELL - SIMPLY PLEAT

## Care instructions and product information

### Care instructions



The fabrics are easy to clean.

- Simply wash by hand using a mild detergent solution at approx. 30°C. (For pre-tensioned types, tension shoes must not be removed from the cords!)
- Then rinse the fabric thoroughly, push the fabric stack together and squeeze the water out. The blind must not longer be dripping wet.
- Hang up damp and leave closed to dry. During the drying process, open and close the blind several times to prevent the pleats sticking together. Do not iron.

Make sure the mechanical parts of motorised and crank operated blinds do not come in contact with the detergent solution or water.

**NOTE:** all metallised fabrics as well as coated blackout materials and B1 qualities are NOT to be cleaned this way. Simply wipe these down gently with a cloth. Do not rub!

More detailed instructions about cleaning specifications can be found under fabric properties in the technical brochure. Contact your local dealer for further information.

We advise against chemical or ultrasonic cleaning and do not accept warranty claims in this case. Please contact the sunblind cleaners for professional cleaning.

### Product information

#### Operation

For a long-lasting pleating it is necessary to operate the blind regularly and to keep it closed in the stack for longer periods.

Especially when the blind is exposed to high temperatures (e.g. southfacing windows, roof windows, conservatories, etc.), above practise is important to repeatedly support the pleats.

#### Notes on casements and glass

- When cleaning casements and glass, do not use any caustic or alkaline cleaning agents which could come into direct or indirect contact (condensation) with the blind.
- Condensation can form if there is too little ventilation or air flow (please follow the instructions in the respective fitting instructions for details on distance to the glass).
- We do not accept liability for fabric damage caused by water stains or insects.

#### Areas of application

Blinds are **ONLY** suitable for use in heated indoor areas. Blinds have **NOT** been designed for outdoor use (e.g. in open or partly glazed roof coverings), for swimming pool enclosures or greenhouses and under twin-wall sheets or plastic windows.

#### Motorised blinds

Motorised blinds are not suitable for installation in humid areas and damp locations

## Important notes on Child Safety

### Guidelines for child-safe fitting of cord and chain operated blinds



- Young children can be strangled by loops in cords, chains and tapes that operate the blind. There is a risk that cords may become wrapped around a child's neck.
- To avoid strangulation and entanglement, keep cords out of the reach of young children.
- Move beds, cots and any furniture away from window covering cords and chains.
- Do not tie cords or chains together. Make sure cords or chains do not twist and create a loop.
- To reduce the risk of such accidents, please install and use supplied safety devices according to the fitting instructions.


Complies with EN 13120

Child safety is a top priority during the selection and installation of sun protection products. When selling and installing, certain points must be considered to ensure a standardised and therefore child-safe fitting. For queries, please contact the respective specialist. They will gladly explain about the possible risks and ensure professional measuring and installation.

The installation height of our products must be indicated on each order. If the installation height is not specified, the child safety of our products cannot be guaranteed.

Please keep the safety information and fitting instructions that you received with the delivery of your blind.


#### Model types F 1, F 2, F 3, F 7, F 8, F Slope 1, F Slope 2, FD Slope 3, FD Slope 4:



**In case of cord operated blinds, cord winders must always be fitted and used.**

This cord winder must be securely fixed to an adjacent surface and the lowest point of the cord tassel must be at least 150 cm from the floor.

#### Model type F 4:



**In case of chain operated blinds, chain holders must always be fitted.**

This chain holder must be securely fixed to an adjacent surface and at the maximum distance from the top of the blind so the chain is held permanently taut by the device.

# SIMPLY CELL - SIMPLY PLEAT

## Light technical values


The properties of blinds in conjunction with light are dependant on several factors, e.g. weave, coating, type of yarn, colour, etc.. These influence the optical and thermo-technical effect and are the reason that each fabric has different light technical values.

The light technical values are reflection, absorption and transmission. The three values add up to 100%. (Effects caused by ventilation, glass, installation method and distance, etc. are not taken into account.)

The chapter material properties of all fabrics displays all values for reflection, absorption and transmission for each fabric.

### Explanation of terms

**Example: design no. 30094**




**Reflexion:** The reflection value indicates the irradiating sun light, which is reflected directly or diffusely. The more radiation is reflected, the less can enter the room and heat it up.

**Transmission:** The transmission value is the amount of light that comes through the fabric. The higher the transmittance value, the brighter the room.

**Absorption:** The absorption value refers to the part of the light energy absorbed by the fabric, which means it is not transmitted. The absorbed light energy is usually converted into heat.

## Computer workstation suitability




The shading of computer workstations places high demands on the glare protection but should also convince in design and function. Simply Cell and Simply Pleat blinds are ideally suited for this. They offer a variety of operating possibilities, can be adapted to many window shapes and offer a long-term and high-quality solution for internal sun shading. Disturbing glare from sunlight can be avoided or minimised.

The intensity of the sun is different from every direction. With internal sun protection the incoming sunlight can be reduced. The maximum light transmittance value (= transmission) according to EU directives, is specified for each direction as a percentage.

In the chapter material properties all fabrics according to their suitability for the respective direction are marked with a dot. For detailed information, please refer to chapter 6.



## 1 Pre-tensioned and freehanging blinds for vertical, rectangular windows (tilt and turn windows / balcony doors)



1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular


4 accessories  
motorised

5 accessories


6 material properties

# SIMPLY CELL - SIMPLY PLEAT

## 1 Pre-tensioned blinds



### VS 1



#### Size ranges Simply Cell



width (B)	min. 12 cm
	max. 150 cm
height (H)	min. 20 cm
	max. 150 cm
up to 120 cm width	max. 220 cm
Twin Elan/BO	max. 170 cm

#### Size ranges Simply Pleat

width (B)	min. 12 cm
	max. 150 cm
height (H)	min. 20 cm
	max. 150 cm
up to 120 cm width	max. 220 cm

#### Package heights


blind height	package height
50 cm	ca. 5 cm
100 cm	ca. 6 cm
150 cm	ca. 7 cm
200 cm	ca. 8 cm
220 cm	ca. 9 cm



#### Rail colours

white	black-brown
silver	anthracite
brass	brushed aluminium (surcharge)

### VS 2



#### Size ranges Simply Cell



width (B)	min. 12 cm
	max. 150 cm
height (H)	min. 20 cm
	max. 150 cm
up to 120 cm width	max. 220 cm
Twin Elan/BO	max. 170 cm

#### Size ranges Simply Pleat

width (B)	min. 20 cm
	max. 150 cm
height (H)	min. 20 cm
	max. 150 cm
up to 120 cm width	max. 220 cm

#### Package heights

blind height	package height
50 cm	ca. 5 cm
100 cm	ca. 6 cm
150 cm	ca. 7 cm
200 cm	ca. 8 cm
220 cm	ca. 9 cm



#### Rail colours


white	black-brown
silver	anthracite
brass	brushed aluminium (surcharge)

#### Notes

- also available with magnetic fixing at the top

# SIMPLY CELL - SIMPLY PLEAT

## 1 Pre-tensioned blinds



1 vertical blinds rectangular

2 vertical blinds special shapes


3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties

### VS 3



#### Size ranges Simply Cell


width (B)	min.	12 cm
	max.	150 cm
height (H)	min.	20 cm
	max.	150 cm
up to 120 cm width	max.	220 cm
Twin Elan/BO	max.	170 cm

#### Size ranges Simply Pleat

width (B)	min.	12 cm
	max.	150 cm
height (H)	min.	20 cm
	max.	150 cm
up to 120 cm width	max.	220 cm

#### Package heights


blind height	package height
50 cm	ca. 9 cm
100 cm	ca. 10 cm
150 cm	ca. 11 cm
200 cm	ca. 12 cm
220 cm	ca. 13 cm



#### Rail colours

white	black-brown
silver	anthracite
brass	brushed aluminium (surcharge)

### VS 3 SD



#### Size ranges Simply Cell


width (B)	min.	12 cm
	max.	100 cm
height (H)	min.	20 cm
	max.	220 cm
Twin Elan/BO	max.	170 cm

#### Size ranges Simply Pleat

width (B)	min.	12 cm
	max.	100 cm
height (H)	min.	20 cm
	max.	220 cm

#### Package heights

blind height	package height
50 cm	ca. 9 cm
100 cm	ca. 10 cm
150 cm	ca. 11 cm
200 cm	ca. 12 cm
220 cm	ca. 13 cm




#### Rail colours


white	black-brown
silver	anthracite
brass	brushed aluminium (surcharge)

# SIMPLY CELL - SIMPLY PLEAT

## 1 Pre-tensioned blinds



### VS 2 Slide (with side channels and guided handle bars) screwless fitting



#### Notes

- fitted with adhesive rails directly on the glass pane.
- no drilling or screwing required.
- for rectangular window beadings: **max. beading depth 30 mm!**

#### Size ranges Simply Cell


width (B)	min.	20 cm
	max.	150 cm
height (H)	min.	20 cm
	max.	150 cm
up to 120 cm width	max.	220 cm
Twin Elan/BO	max.	170 cm

#### Size ranges Simply Pleat

width (B)	min.	20 cm
	max.	150 cm
height (H)	min.	20 cm
	max.	150 cm
up to 120 cm width	max.	220 cm

#### Package heights


blind height	package height
50 cm	ca. 5 cm
100 cm	ca. 6 cm
150 cm	ca. 7 cm
200 cm	ca. 8 cm
220 cm	ca. 9 cm



#### Rail colours

- white
- grey

### VS 2 KL screwless fitting



#### Notes

- fitted with adhesive rails directly on the glass pane.
- no drilling or screwing required.
- also available with magnetic fixing at the top

#### Size ranges Simply Cell


width (B)	min.	20 cm
	max.	150 cm
height (H)	min.	20 cm
	max.	150 cm
up to 120 cm width	max.	220 cm
Twin Elan/BO	max.	170 cm

#### Size ranges Simply Pleat

width (B)	min.	20 cm
	max.	150 cm
height (H)	min.	20 cm
	max.	150 cm
up to 120 cm width	max.	220 cm

#### Package heights


blind height	package height
50 cm	ca. 5 cm
100 cm	ca. 6 cm
150 cm	ca. 7 cm
200 cm	ca. 8 cm
220 cm	ca. 9 cm



#### Rail colours

- white
- silver

## 1 Pre-tensioned blinds



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular

4 accessories motorised

5 accessories


6 material properties

### Accessories VS 1, VS 2, VS 3, VS 3 SD, VS 2 Slide, VS 2 KL

	Art. no.	Article	For model type
	1001 01	adhesive rail white	VS 2 KL
	1001 02	adhesive rail silver	
	2001 01	tension shoe white	VS 1, VS 2, VS 3, VS 3 SD
	2001 03	tension shoe grey	
	2001 06	tension shoe black	
	2002 01	tension shoe for bracket white	VS 1, VS 2, VS 2 KL, VS 3, VS 3 SD
	2002 03	tension shoe for bracket grey	
	2002 06	tension shoe for bracket black	
	2003 01	tension shoe with snap mechanism white	VS 2
	2003 03	tension shoe with snap mechanism grey	
	2003 06	tension shoe with snap mechanism black	
	2004 01	tension shoe with snap mechanism for bracket white	VS 2, VS 2 KL
	2004 03	tension shoe with snap mechanism for bracket grey	
	2004 06	tension shoe with snap mechanism for bracket black	
	2005 01	tension shoe for magnetic fixing, metal plate coloured white	VS 2
	2005 03	tension shoe for magnetic fixing, metal plate coloured grey	
	2005 06	tension shoe for magnetic fixing, metal plate coloured black	

# SIMPLY CELL - SIMPLY PLEAT

## 1 Pre-tensioned blinds




### Accessories VS 1, VS 2, VS 3, VS 3 SD, VS 2 Slide, VS 2 KL

	Art. no.	Article	For model type
	2006 01 2006 03 2006 06	tension shoe for magnetic fixing, metal plate coloured, for bracket, <b>up to</b> a blind width of 130 cm white grey black	VS 2, VS 2 KL
	2007 01 2007 03 2007 06	tension shoe for magnetic fixing, metal plate galvanised, <b>from</b> a blind width of 130 cm instead of the coloured version white grey black	VS 2
	2008 01 2008 03 2008 06	tension shoe for magnetic fixing, metal plate galvanised, for bracket, <b>from</b> a blind width of 130 cm instead of the coloured version white grey black	VS 2, VS 2 KL
	2011 01 2011 03 2011 06	center snap mechanism white grey black	VS 2
	2099 06	anti twist item for tension shoe black	VS 1, VS 2, VS 3, VS 3 SD
	2201 01 2201 03 2201 06	bracket, short white grey black	VS 1, VS 2, VS 3, VS 3 SD
	2202 01 2202 03 2202 06	bracket, long white grey black	VS 1, VS 2, VS 3, VS 3 SD

1 vertical blinds rectangular  
 2 vertical blinds special shapes  
 3 roof blinds special shapes  
 4 accessories motorised  
 5 accessories  
 6 material properties

## 1 Pre-tensioned blinds



1 vertical blinds rectangular

2 vertical blinds special shapes









3 roof blinds rectangular

4 accessories motorised

5 accessories


6 material properties

### Accessories VS 1, VS 2, VS 3, VS 3 SD, VS 2 Slide, VS 2 KL

	Art. no.	Article	For model type
	2299 01 2299 03 2299 06	cover for bracket white grey black	VS 1, VS 2, VS 3, VS 3 SD
	2203 01 2203 03	brackets for adhesive rail, left and right white grey	VS 2 KL
	8001 01 8001 03 8001 06	beading brackets VS 2, left and right white grey black	VS 2
	8002 01 8002 03 8002 06	beading brackets VS 2 with snap mechanism, left and right white grey black	VS 2
	8003 01 8003 03 8003 06	beading brackets VS 2 with magnetic fixing, left and right white grey black	VS 2
	8004 01	mounting plate for narrow window beadings white	VS 2
	2301 01 2301 03 2301 06	clamp bracket white grey black	VS 1, VS 2, VS 3, VS 3 SD
	2349 06	sealing pad for clamp bracket black	VS 1, VS 2, VS 3, VS 3 SD

# SIMPLY CELL - SIMPLY PLEAT

## 1 Pre-tensioned blinds




### Accessories VS 1, VS 2, VS 3, VS 3 SD, VS 2 Slide, VS 2 KL

	Art. no.	Article	For model type
		clip	VS 1, VS 3, VS 3 SD
	2351 01	white	
	2351 02	silver	
	2351 06	black	
	2351 07	brass	
		operating handle	VS 1, VS 2, VS 2 KL, VS 3, VS 3 SD
	3031 01	white	
	3031 03	grey	
	3031 06	black	
		operating handle for operating rod	VS 1, VS 2, VS 2 KL, VS 3, VS 3 SD
	3032 01	white	
	3032 03	grey	
	3032 06	black	
		operating handle for middle operating rail and F Touch	VS 3, VS 3 SD, F Touch
	3033 01	white	
	3033 03	grey	
	3033 06	black	
		design handle	VS 1, VS 2, VS 2 KL, VS 3, VS 3 SD
	3131 01	white	
	3131 02	silvergrey	
	3131 06	black	
		operating rod with joint (only in combination with operating handle 3032 ..)	VS 1, VS 2, VS 2 KL, VS 3, VS 3 SD
	3305 03	125 cm	
	3306 03	150 cm	
	3307 03	200 cm	
	3308 03	250 cm	
		clamp for operating rod / crank	VS 1, VS 2, VS 2 KL, VS 3, VS 3 SD
	2924 03	grey	
		adhesive rail for VS 2 Slide	VS 2 Slide
	1002 01	white	
	1002 03	grey	



## 1 Pre-tensioned blinds



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular

4 accessories motorised

5 accessories


6 material properties

### Accessories VS 1, VS 2, VS 3, VS 3 SD, VS 2 Slide, VS 2 KL

	Art. no.	Article	For model type
	2209 99	bracket for VS 2 Slide silver	VS 2 Slide
	2210 01 2210 03	tension shoes and covers VS 2 Slide, left and right white grey	VS 2 Slide


# SIMPLY CELL - SIMPLY PLEAT

## 1 Pre-tensioned blinds




### Measurements VS 1, VS 2, VS 3, VS 3 SD

#### Fitting in the window beading




##### Window beading angled:



Measure the width B at several points in case of possible size tolerances of the window. Use the shortest measured width.

**Order width** = B  
**Order height** = H


##### Window beading straight:




**Order width** = B minus 5 mm  
**Order height** = H

#### Fitting in the window beading with mounting plate (only VS 2)

The mounting plate enables a fitting in the window beading even if it is a narrow beading.




##### Window beading angled:



⚠ Please note the additions / deductions in the order height depending on the glazing rebate when using the mounting plate!



**Order height** = H plus 5 mm

##### Window beading straight:



**Order height** = H minus 5 mm


#### Fitting on the glazing bead (with beading brackets) VS 2 only



Measure the corners of the glazing bead.

**Order width** = B plus 5 mm  
**Order height** = H minus 18 mm

## 1 Pre-tensioned blinds



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular


4 accessories motorised

5 accessories

6 material properties

### Measurements VS 1, VS 2, VS 3, VS 3 SD

#### Fitting on the casement (with brackets)



When measuring pay attention to protruding window furniture.


**Order width** = B plus the desired overlap (X)


**Order height** = H plus the desired overlap (X)

#### Notes

- dimension H = top edge of rail
- clip and bracket together require another 4.5 mm

#### Fitting on the casement (with clamp brackets)



 Please check whether the clamp brackets can be used with regard to the mechanism of the window and distance to the window ledge (thickness casement max. 25 mm).


When measuring pay attention to protruding window furniture.

**Order width** = B plus the desired overlap (X)

**Order height** = H minus 10 mm

# SIMPLY CELL - SIMPLY PLEAT

## 1 Pre-tensioned blinds





### Measurements VS 2 Slide, VS 2 KL

#### ⚠ Checking the seal width „D“

Measure the width of the seal „D“ on all four sides because of potential tolerances.


#### D less than or equal 5 mm



**Order width** = clear width "LB" minus 4 mm

**Order height** = clear height "LH" minus 8 mm

#### D larger than 5 mm




**Order width** = clear glass width „LGB“ plus 7 mm

**Order height** = clear glass height „LGH“ plus 3 mm

#### Fitting notes VS 2 Slide, VS 2 KL:

- The glass pane must be dry and free of grease, silicone and other soilings.
- Please note the safety instructions for the cleaning cloth.
- The optimum processing temperature is between 15 - 35° C (adhesive surface and surroundings).
- Air inclusions within the adhesive surface do not constitute a reason for complaint, as long as the function of the rail is not affected.
- **VS 2 Slide:** for rectangular window beadings: max. beading depth 30 mm!

## 1 Pre-tensioned blinds



1 vertical blinds rectangular

2 vertical blinds special shapes


3 roof blinds rectangular

4 accessories motorised


5 accessories

6 material properties


### General notes



**Attention!**  
fabric width = rail width  
**End caps protrude!**



**Distance blind - glass pane:  
at least 5 mm!**




**Several blinds side by side:**

Light slit (fabric gap) between the blinds approx. 10 mm.  
Required rail distance is determined by the producer.

# SIMPLY CELL

## 1 Pre-tensioned blinds




Prices VS 1, VS 2, VS 3<sup>1</sup>, VS 3 SD<sup>1</sup>, VS 2 Slide, VS 2 KL

height cm	price group	width cm											Surcharge VS 2 Slide VS 2 KL
		50	60	70	80	90	100	110	120	130	140	150	
80	0	188	206	227	246	279	300	321	348	379	404	425	65
	1	217	240	265	290	312	344	367	392	416	441	464	
	2	223	246	273	296	327	356	385	416	452	485	512	
	3	275	315	354	394	433	473	512	552	591	631	670	
	4	317	362	408	452	498	543	589	635	679	724	770	
90	0	196	217	242	267	294	317	346	373	404	427	452	69
	1	227	252	281	306	333	364	392	416	446	471	498	
	2	233	260	290	315	352	383	416	446	489	520	552	
	3	312	354	396	437	479	520	564	606	647	689	731	
	4	358	406	456	504	552	600	647	695	745	793	841	
100	0	206	231	260	281	315	340	371	392	427	452	483	73
	1	238	267	296	325	352	387	414	444	473	502	531	
	2	244	277	306	337	379	412	446	483	523	560	593	
	3	335	381	425	468	514	558	602	647	691	735	780	
	4	387	437	489	539	591	641	693	743	795	845	897	
110	0	217	244	273	298	331	358	387	416	452	483	510	77
	1	248	279	310	342	371	408	439	468	502	533	562	
	2	263	292	325	360	404	437	481	512	560	595	637	
	3	356	402	446	489	533	579	622	666	712	756	799	
	4	410	460	512	562	614	664	716	768	818	870	920	
120	0	233	263	285	312	350	379	412	437	481	508	539	82
	1	260	292	327	358	392	431	462	496	531	562	595	
	2	275	310	348	383	429	471	508	545	595	637	679	
	3	364	414	464	512	562	612	662	710	760	810	857	
	4	421	477	533	589	647	704	760	816	874	930	986	
130	0	242	275	304	329	373	398	431	462	504	535	570	86
	1	285	325	362	402	439	483	520	558	597	637	674	
	2	288	327	371	410	456	496	541	581	635	676	720	
	3	383	433	483	531	581	631	679	728	778	826	876	
	4	441	498	554	612	668	724	780	839	895	951	1007	
140	0	250	285	317	348	387	421	456	489	529	564	597	90
	1	298	337	379	419	458	506	545	585	627	666	706	
	2	308	348	387	429	485	525	572	616	670	716	764	
	3	402	456	510	564	618	674	728	783	837	891	945	
	4	462	525	587	649	712	774	837	899	961	1024	1086	
150	0	271	300	331	364	410	439	481	510	560	593	624	94
	1	306	348	392	433	475	525	566	608	652	693	735	
	2	325	371	412	452	508	558	604	649	712	760	805	
	3	412	471	527	583	639	697	753	810	866	924	980	
	4	475	539	606	670	735	801	866	930	997	1061	1126	
160	0	283	315	348	383	427	462	502	539	98			
	1	319	362	406	452	496	545	589	633				
	2	340	385	431	483	539	585	637	687				
	3	429	489	548	608	666	724	785	843				
	4	493	562	631	697	766	835	901	970				
170	0	290	327	364	402	448	487	525	562	104			
	1	329	375	423	468	514	568	614	660				
	2	360	410	456	504	568	616	670	722				
	3	444	504	566	627	689	751	812	874				
	4	508	579	652	722	793	864	934	1005				
180	0	306	344	381	419	471	506	548	587	111			
	1	340	387	437	485	533	589	637	687				
	2	375	425	481	529	593	645	708	760				
	3	456	520	585	649	712	776	841	905				
	4	525	597	672	745	820	893	966	1040				
190	0	317	358	398	437	489	527	575	614	117			
	1	350	402	454	504	554	612	662	712				
	2	389	446	502	558	620	683	739	795				
	3	477	543	610	676	743	810	876	943				
	4	548	624	701	778	855	930	1007	1084				
bracket/tension shoe		2/2	2/2	3/2	3/2	3/2	3/2	4/2	4/2	4/2	4/2	5/2	

1 vertical blinds rectangular  
2 vertical blinds special shapes  
3 roof blinds special shapes  
4 accessories motorised  
5 accessories  
6 material properties

# 1 Pre-tensioned blinds



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties

## Prices VS 1, VS 2, VS 3<sup>1</sup>, VS 3 SD<sup>1</sup>, VS 2 Slide, VS 2 KL

height cm	price group	width cm											Surcharge VS 2 Slide VS 2 KL
		50	60	70	80	90	100	110	120	130	140	150	
200	0	329	375	416	456	508	550	595	641				123
	1	362	414	468	520	572	633	685	739				
	2	412	471	525	583	649	714	776	835				
	3	483	552	620	691	760	828	897	966				
	4	556	635	714	793	874	953	1032	1111				
210	0	346	387	429	477	529	577	620	668			129	
	1	373	427	483	537	593	656	710	764				
	2	427	489	548	610	685	745	808	872				
	3	514	585	658	728	799	872	943	1013				
	4	591	674	756	839	920	1003	1084	1167				
220	0	358	404	448	493	550	597	645	695			140	
	1	383	439	500	556	612	676	735	791				
	2	448	510	575	637	714	778	843	907				
	3	525	600	672	747	820	895	968	1043				
	4	604	689	774	860	945	1028	1113	1199				
bracket/tension shoe		2/2	2/2	3/2	3/2	3/2	3/2	4/2	4/2				

### <sup>1</sup> calculation VS 3, VS 3 SD

Size and Price Group of the top blind

+ Size and Price Group of the bottom blind

= **total Price** (always results from 2 single blinds)

#### example:


W 60 x H 100 / PG 2 = 277,-

+ W 60 x H 100 / PG 4 = 437,-

= **total Price** = **714,-**

# SIMPLY PLEAT

## 1 Pre-tensioned blinds




Prices VS 1, VS 2, VS 3<sup>1</sup>, VS 3 SD<sup>1</sup>, VS 2 Slide, VS 2 KL

height cm	price group	width cm											Surcharge VS 2 Slide VS 2 KL
		50	60	70	80	90	100	110	120	130	140	150	
80	0	159	169	186	200	221	238	252	269	296	310	325	65
	1	165	186	202	217	246	265	285	300	327	348	364	
	2	186	206	231	248	285	304	327	352	385	412	433	
	3	200	221	246	269	302	325	352	381	414	439	466	
90	0	165	179	192	206	231	246	267	281	308	323	337	89
	1	177	194	206	225	256	277	298	317	346	364	385	
	2	200	221	246	269	300	323	352	379	412	435	460	
	3	215	238	265	290	323	350	381	406	444	471	498	
100	0	175	186	200	206	242	256	279	294	321	335	352	73
	1	186	204	221	242	269	290	310	331	362	383	404	
	2	206	236	265	288	321	346	377	400	435	460	491	
	3	221	248	281	308	346	373	404	433	477	502	531	
110	0	181	192	208	221	250	269	290	304	331	350	369	77
	1	192	213	233	252	285	304	327	350	381	400	425	
	2	221	248	277	302	337	364	394	425	460	491	520	
	3	236	269	298	325	369	394	431	458	502	533	568	
120	0	186	200	215	233	265	279	300	317	346	364	383	82
	1	202	221	244	267	298	319	344	364	398	421	444	
	2	238	267	292	319	356	385	419	446	489	518	550	
	3	250	285	315	346	387	421	454	491	531	568	602	
130	0	192	208	221	244	271	290	312	327	358	379	394	86
	1	213	233	252	279	312	331	358	383	416	437	464	
	2	246	279	308	335	379	406	439	471	514	545	581	
	3	271	300	331	364	412	444	485	518	562	600	635	
140	0	196	215	233	250	281	300	321	344	373	389	412	90
	1	219	244	269	292	323	348	377	398	433	458	487	
	2	256	292	323	354	394	429	464	498	539	575	608	
	3	285	317	350	385	431	468	506	545	595	633	670	
150	0	204	221	242	265	292	312	333	354	385	406	427	94
	1	231	252	279	302	335	362	389	416	450	483	504	
	2	275	304	337	373	416	448	489	520	570	604	637	
	3	294	331	371	406	454	493	533	575	627	664	710	
160	0	211	225	250	271	300	321	346	369				98
	1	242	267	290	317	352	379	406	433				
	2	290	321	354	389	435	471	512	550				
	3	304	348	387	427	483	518	560	604				
170	0	217	238	263	281	312	333	356	381				104
	1	248	277	300	325	364	392	425	450				
	2	296	333	373	410	456	496	533	572				
	3	323	364	406	448	500	541	593	633				
180	0	223	246	269	290	321	346	371	389				111
	1	256	288	315	337	381	410	437	468				
	2	312	350	387	427	481	516	558	600				
	3	337	383	427	468	525	570	616	662				
190	0	233	252	277	300	331	356	383	404				117
	1	269	296	323	354	392	425	456	489				
	2	323	364	406	446	498	537	585	627				
	3	352	398	444	493	550	597	649	697				
200	0	238	265	288	308	346	369	392	419				123
	1	277	304	335	369	412	437	477	504				
	2	335	381	425	464	518	560	606	654				
	3	369	416	464	514	575	624	674	726				
210	0	244	271	296	319	354	381	406	431				129
	1	288	317	348	381	425	454	491	523				
	2	352	394	437	487	539	587	633	681				
	3	383	433	487	533	600	652	708	758				
220	0	250	279	302	327	364	389	419	444				140
	1	296	327	362	392	437	471	506	539				
	2	364	412	456	502	560	608	658	710				
	3	398	450	504	558	624	674	735	793				
bracket/tension shoe		2/2	2/2	3/2	3/2	3/2	3/2	4/2	4/2	4/2	4/2	5/2	



# 1 Pre-tensioned blinds



Prices VS 1, VS 2, VS 3<sup>1</sup>, VS 3 SD<sup>1</sup>, VS 2 Slide, VS 2 KL

1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular

4 accessories  
motorised

5 accessories

6 material properties


## <sup>1</sup> calculation VS 3, VS 3 SD

Size and Price Group of the top blind  
+ Size and Price Group of the bottom blind  
= **total Price** (always results from 2 single blinds)

### example:

W 60 x H 100 / PG 2 = 236,-  
+ W 60 x H 100 / PG 3 = 248,-  
= **total Price** = **484,-**

# SIMPLY CELL - SIMPLY PLEAT



## 1 Pre-tensioned blinds

### Prices special equipment

Article/Description	Price
magnetic fixing VS 2, VS 2 KL (only on top)	19,00 per Blind
Rail, brushed aluminium – blinds <b>to</b> 130 cm width (not with VS 2 KL, VS 2 Slide)	73,00 per Blind
Rail, brushed aluminium – blinds <b>over</b> 130 cm width (not with VS 2 KL, VS 2 Slide)	123,00 per Blind

### Prices optional accessories VS 1,VS 2,VS 3,VS 3 SD

Art. no.	Article	Price
 2011 01	center snap mechanism	
2011 03	white	7,00 Piece
2011 06	grey	7,00 Piece
	black	7,00 Piece
 2099 06	Art. no. black	2,00 Set
 2202 01	bracket, long white	8,00 Piece
2202 03	grey	8,00 Piece
2202 06	black	8,00 Piece
 8001 01	beading brackets VS 2 , left and right white	21,00 Set
8001 03	grey	21,00 Set
8001 06	black	21,00 Set
 8002 01	beading brackets VS 2 with snap mechanism, left and right white	21,00 Set
8002 03	grey	21,00 Set
8002 06	black	21,00 Set
 8003 01	beading brackets VS 2 with magnetic fixing, left and right white	40,00 Set
8003 03	grey	40,00 Set
8003 06	black	40,00 Set
 8004 01	mounting plate for narrow window beadings white	5,00 Piece
 2301 01	clamp bracket white	14,00 Piece
2301 03	grey	14,00 Piece
2301 06	black	14,00 Piece
 2349 06	sealing pad for clamp bracket (2301..) black	2,00 Piece
 3131 01	design handle (not for VS 2 Slide/VS 3/VS 3 SD) white	21,00 Piece
3131 02	grey	21,00 Piece
3131 06	black	21,00 Piece
 3305 03	operating rod with joint (only in combination with operating handle 3032 ..) 125 cm	87,00 Piece
3306 03	150 cm	93,00 Piece
3307 03	200 cm	104,00 Piece
3308 03	250 cm	115,00 Piece
 2924 03	clamp for operating rod / crank grey	5,00 Piece

# SIMPLY CELL - SIMPLY PLEAT

---

1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular


4 accessories  
motorised

5 accessories



6 material properties

# SIMPLY CELL - SIMPLY PLEAT

## 1 Freehanging blinds with cord operation



F 1



### Notes

- also available with guide wires
- cord outlet available on left or right side (please specify)

### Size ranges Simply Cell

width (B)	min.	15 cm
	max. <sup>1</sup>	280cm
height (H)	min.	30 cm
	max. <sup>2</sup>	300cm

<sup>1</sup> depending on fabric width

<sup>2</sup> please have a look at our chart at page 1.21 (Drop Limitations)



### Size ranges Simply Pleat

width (B)	min.	15 cm
	max. <sup>1</sup>	260 cm
height (H)	min.	30 cm
	max.	300 cm

<sup>1</sup> depending on fabric width

### Package heights



blind height	package height
50 cm	ca. 5 cm
100 cm	ca. 6 cm
150 cm	ca. 7 cm
200 cm	ca. 8 cm
260 cm	ca. 9 cm



### Rail colours

white	black-brown
silver	anthracite
brass	brushed aluminium (surcharge)

F 2



### Notes

- also available with guide wires
- F 2 blinds always with two cord locks
- operating cords in the view field

### Size ranges Simply Cell

width (B)	min.	15 cm
	max. <sup>1</sup>	200 cm
height (H)	min.	30 cm
	max. <sup>2</sup>	300 cm

<sup>1</sup> depending on fabric width

<sup>2</sup> please have a look at our chart at page 1.21 (Drop Limitations)




### Size ranges Simply Pleat

width (B)	min.	15 cm
	max. <sup>1</sup>	200 cm
height (H)	min.	30 cm
	max.	300 cm

<sup>1</sup> depending on fabric width

### Package heights

blind height	package height
50 cm	ca. 6 cm
100 cm	ca. 7 cm
150 cm	ca. 8 cm
200 cm	ca. 9 cm
260 cm	ca. 10 cm




### Rail colours

white	black-brown
silver	anthracite
brass	brushed aluminium (surcharge)

# SIMPLY CELL - SIMPLY PLEAT

## 1 Freehanging blinds with cord operation



1 vertical blinds rectangular

2 vertical blinds special shapes



3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties

F 3



### Notes

- also available with guide wires
- F 3 blinds always with two cord locks

### Size ranges Simply Cell

width (B)	min.	15 cm
	max.	180 cm
height (H)	min.	30 cm
	max. <sup>2</sup>	300 cm

### Size ranges Simply Pleat

width (B)	min.	15 cm
	max.	180 cm
height (H)	min.	30 cm
	max.	300 cm


<sup>2</sup> please have a look at our chart at page 1.21 (Drop Limitations)

### Package heights

blind height	package height
50 cm	ca. 7 cm
100 cm	ca. 8 cm
150 cm	ca. 9 cm
200 cm	ca. 10 cm
260 cm	ca. 11 cm

### Rail colours

	white		black-brown
	silver		anthracite
	brass		brushed aluminium (surcharge)




## Drop Limitations - Simply Cell

model type	fabric quality	max. height cm	max. m <sup>2</sup>
F1	Elan	260	5
	Elan BO	260	5
	Uni BO	260	5
	Projekt FR BO	230	4
	Batiste	230	4
	Twin Elan / Twin Elan BO	170	3
F2	Elan	260	5
	Elan BO	260	5
	Uni BO	260	5
	Batiste	230	4
	Twin Elan	170	3
F3	Elan	260	4
	Elan BO	260	4
	Uni BO	260	4
	Batiste	230	3
	Twin Elan	170	2

# SIMPLY CELL - SIMPLY PLEAT


## 1 Freehanging blinds with cord operation



### Accessories F 1, F 2, F 3

	Art. no.	Article	For model type
		tension shoe	F 1, F 2, F 3
	2001 01	white	with guide wires
	2001 03	grey	
	2001 06	black	
		tension shoe for bracket	F 1, F 2, F 3
	2002 01	white	with guide wires
	2002 03	grey	
	2002 06	black	
		bracket, short	F 1, F 2, F 3
	2201 01	white	
	2201 03	grey	
	2201 06	black	
		bracket, long	F 1, F 2, F 3
	2202 01	white	
	2202 03	grey	
	2202 06	black	
		cover for bracket	F 1, F 2, F 3
	2299 01	white	
	2299 03	grey	
	2299 06	black	
		clamp bracket	F 1, F 2, F 3
	2301 01	white	
	2301 03	grey	
	2301 06	black	
		sealing pad for clamp bracket	F 1, F 2, F 3
	2349 06	black	

## 1 Freehanging blinds with cord operation



1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular

4 accessories  
motorised

5 accessories


6 material properties

### Accessories F 1, F 2, F 3

	Art. no.	Article	For model type
		clip	F 1, F 2, F 3
	2351 01	white	
	2351 02	silver	
		adaptor 11°, adaptable to 44°	F 1, F 2, F 3
	2903 01	white	
	2903 03	grey	
		adaptor 15°	F 1, F 2, F 3
	2904 01	white	
	2904 06	black	
		adaptor 45°	F 1, F 2, F 3
	2905 01	white	
	2905 06	black	
		cord winders	F 1, F 2, F 3
	2923 01	white	
	2923 03	grey	
	2923 06	black	


# SIMPLY CELL - SIMPLY PLEAT

## 1 Freehanging blinds with cord operation



### Measurements F 1, F 2, F 3

#### Fitting in front of the window recess




Measure the recess width and height plus the desired overlaps (recommendation at least 30 mm on each side; at the top if possible: overlap = package height). Please note protruding window ledges.

**Order width** = B

**Order height** = H

#### Fitting inside the window recess





Measure the width B at several points in case of possible size tolerances of the window recess. Use the shortest measured width.

**Order width** = B minus 5 mm

**Order height** = H minus 5 mm

#### Fitting on the casement (with brackets)



**X = desired overlap**

When measuring pay attention to protruding window furniture.



**Order width** = B plus the desired overlap (X)

**Order height** = H plus the desired overlap (X)

#### Notes

- dimension H = top edge of rail
- clip and bracket together require another 4.5 mm

#### Fitting on the casement (with clamp brackets)



**X = desired overlap**

Please check whether the clamp brackets can be used with regard to the mechanism of the window and distance to the window ledge (thickness casement max. 25 mm).

When measuring pay attention to protruding window furniture.

**Order width** = B plus the desired overlap (X)

#### Order height

with guide wires


**Order height** = H minus 10 mm

without guide wires

**Order height** = H minus 5 mm



## 1 Freehanging blinds with cord operation



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular


4 accessories motorised

5 accessories


6 material properties

### Measurements F 1, F 2, F 3

### Fitting in the window beading



#### Window beading angled:




Measure the width B at several points in case of possible size tolerances of the window.

**Order width** = B

**Order height** = H


#### Window beading straight:



**Order width** = B minus 5 mm

**Order height** = H


### General notes




#### Attention!

Fabric width = rail width

**End caps protrude!**



**Distance blind - glass pane: at least 5 mm!**



#### Several blinds side by side:

Light slit (fabric gap) between the blinds approx. 10 mm.  
Required rail distance is determined by the producer.



#### Installation height must be specified!


Please refer to the notes concerning Child Safety on page V.6.







# 1 Freehanging blinds with cord operation



## Prices F 1, F 2<sup>1</sup>, F 3<sup>2</sup>

Max.blind width: F 1 = depends on the width of the fabric, F 2 = 200 cm, F 3 = 180 cm

height cm	price group	width cm																		S.P.*
		60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	
240	0	296	323	350	387	416	444	471	512	533	562	589	629	656	689	716	751	783	808	61
	1	350	385	421	468	504	541	581	627	660	699	735	785	820	857	893	941	976	1011	
	2	444	493	541	606	656	716	762	826	878	926	976	1038	1092	1147	1199	1261	1313	1367	
	3	491	545	604	672	735	797	855	924	986	1038	1099	1172	1230	1296	1352	1425	1479	1540	
250	0	304	331	358	398	427	456	487	523	552	581	606	645	672	708	735	774	801	828	63
	1	362	398	435	487	520	560	597	649	687	722	758	805	843	887	922	968	1005	1043	
	2	458	514	562	629	683	739	793	855	907	959	1011	1076	1132	1190	1240	1306	1359	1411	
	3	506	568	629	706	762	826	889	959	1020	1080	1140	1215	1271	1336	1398	1471	1531	1596	
260	0	315	344	371	412	437	471	498	537	568	595	624	662	695	724	751	795	822	851	65
	1	377	414	448	500	537	581	616	664	708	743	783	830	866	912	945	999	1032	1072	
	2	481	529	585	654	710	764	822	889	941	997	1045	1113	1169	1228	1280	1346	1400	1452	
	3	527	589	654	728	793	857	920	997	1057	1115	1178	1257	1317	1382	1444	1521	1581	1646	
270	0	323	352	381	423	448	483	510	550	583	610	641	679	712	743	770	814	841	872	67
	1	387	427	460	514	552	597	633	683	728	764	805	853	891	936	970	1026	1059	1101	
	2	496	545	604	674	733	789	849	916	970	1028	1078	1149	1205	1265	1319	1388	1442	1496	
	3	543	608	674	751	820	887	949	1030	1092	1151	1215	1296	1359	1425	1490	1569	1631	1698	
280	0	331	360	392	433	458	496	523	562	597	624	658	695	728	762	789	832	860	893	69
	1	398	439	473	529	566	614	649	701	749	785	828	876	916	961	995	1053	1086	1130	
	2	510	562	622	695	756	814	876	943	999	1059	1111	1184	1240	1303	1359	1429	1484	1540	
	3	560	627	695	774	847	916	978	1063	1128	1186	1253	1336	1400	1469	1536	1617	1681	1750	
290	0	340	369	402	444	468	508	535	575	612	639	674	712	745	780	808	851	878	914	71
	1	408	452	485	543	581	631	666	720	770	805	851	899	941	986	1020	1080	1113	1159	
	2	525	579	641	716	778	839	903	970	1028	1090	1144	1219	1276	1340	1398	1471	1525	1583	
	3	577	645	716	797	874	945	1007	1097	1163	1221	1290	1375	1442	1513	1581	1664	1731	1802	
300	0	348	377	412	454	479	520	548	587	627	654	691	728	762	799	826	870	897	934	73
	1	419	464	498	558	595	647	683	739	791	826	874	922	966	1011	1045	1107	1140	1188	
	2	539	595	660	737	801	864	930	997	1057	1122	1178	1255	1311	1377	1438	1513	1567	1627	
	3	593	664	737	820	901	974	1036	1130	1199	1257	1328	1415	1484	1556	1627	1712	1781	1854	
bracket qty		2	3	3	3	3	4	4	4	4	5	5	5	5	6	6	6	6	6	

S.P.\* = Surcharge guide wire

## blinds with overlapping only F1 + F2

halve width of the blind

Price of two blinds

+ 10 %

= **total Price** (always results from 2 single blinds)

### example W 260 x H 200/ PG1

2 x W 130 x H 200/ PG 1

2 x 545 = 1090,00

+ 10 % = 109,00

= **total Price** = 1199,00

## <sup>1</sup>calculation F 2

Size and Price Group of the blind

+ 60% surcharge (price table)

= **total Price**

### example:

W 60 x H 100 / PG 2 = 236,00

+ 60% = 142,00

= **total Price** = 378,00

## <sup>2</sup>calculation F 3

Size and Price Group of the top blind

+ Size and Price Group of the bottom blind

= **total Price** (always results from 2 single blinds)

### example:


W 60 x H 100 / PG 2 = 236,00

+ W 60 x H 100 / PG 3 = 248,00

= **total Price** = 484,00

# SIMPLY CELL - SIMPLY PLEAT







## 1 Freehanging blinds



### Prices special equipment

Article	Preis
Rail, brushed aluminium – blinds <b>to</b> 130 cm width	73,00 per System
Rail, brushed aluminium –blinds <b>over</b> 130 cm width	123,00 per System

### Prices optional accessories F 1, F 2, F 3

	Art. no.	Article	Price
	2202 01	bracket, long white	8,00 Piece
	2202 03	grey	8,00 Piece
	2202 06	black	8,00 Piece
	2301 01	clamp bracket white	14,00 Piece
	2301 03	grey	14,00 Piece
	2301 06	black	14,00 Piece
	2349 06	sealing pad for clamp bracket (2301..) black	2,00 Piece
	2903 01	clamp for operating rod / adaptor 11°, adaptable to 44°rank white	1,00 Piece
	2903 03	grey	1,00 Piece
	2903 04	brown	1,00 Piece
	2904 01	adaptor 15° white	2,00 Piece
	2904 06	black	2,00 Piece
	2905 01	adaptor 15° white	2,00 Piece
	2905 06	black	2,00 Piece

# SIMPLY CELL - SIMPLY PLEAT

---

1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular


4 accessories  
motorised

5 accessories


6 material properties

# SIMPLY CELL - SIMPLY PLEAT

## 1 Freehanging blinds with operating handle, chain operation, motorised



### F Touch with operating handle



#### Size ranges Simply Cell

width (B)	min.	45 cm
	max. <sup>1</sup>	230 cm
height (H)	min.	15 cm
	max.	210 cm

<sup>1</sup> depending on fabric width



#### Size ranges Simply Pleat

width (B)	min.	45 cm
	max. <sup>1</sup>	230 cm
height (H)	min.	15 cm
	max.	210 cm

<sup>1</sup> depending on fabric width

#### Package heights

blind height	package height
50 cm	ca. 7 cm
100 cm	ca. 8 cm
150 cm	ca. 9 cm
200 cm	ca. 10 cm



#### Notes

- not available with guide wires
- also available without handle (please specify)

#### Rail colours

white	black-brown
silver	anthracite

### F 4 with chain operation



#### Size ranges Simply Cell

width (B)	min.	40 cm
	max. <sup>1</sup>	280 cm
height (H)	min.	30 cm
	max.	300 cm

<sup>1</sup> depending on fabric width



#### Size ranges Simply Pleat

width (B)	min.	40 cm
	max. <sup>1</sup>	230 cm
height (H)	min.	30 cm
	max.	300 cm

<sup>1</sup> depending on fabric width

#### Package heights

blind height	package height
50 cm	ca. 7 cm
100 cm	ca. 8 cm
150 cm	ca. 9 cm
200 cm	ca. 10 cm
260 cm	ca. 11 cm



#### Notes

- also available with guide wires (max. vertical tilting angle: 15°)
- chain outlet available on left or right side (please specify)
- no protruding gear at the side


#### Rail colours

white	black-brown
silver	anthracite
brass	



# SIMPLY CELL - SIMPLY PLEAT

## 1 Freehanging blinds with operating handle, chain operation, motorised



1 vertical blinds rectangular

2 vertical blinds special shapes



3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties

### FE motorised



#### Notes

- also available with guide wires (max. vertical tilting angle: 15°)
- cable outlet available on left or right side (please specify)
- not suitable for installation in humid areas and damp locations

#### Size ranges Simply Cell

width (B)	min.	60 cm
	max. <sup>1</sup>	280 cm
height (H)	min.	30 cm
	max. <sup>2</sup>	300 cm

<sup>1</sup> depending on fabric width

<sup>2</sup> please have a look at our chart at page 1.33 (Drop Limitations)



#### Size ranges Simply Pleat

width (B)	min.	60 cm
	max. <sup>1</sup>	230 cm
height (H)	min.	30 cm
	max.	300 cm

<sup>1</sup> depending on fabric width

#### Package heights

blind height	package height
50 cm	ca. 7 cm
100 cm	ca. 8 cm
150 cm	ca. 9 cm
200 cm	ca. 10 cm
260 cm	ca. 11 cm



#### Rail colours

white	black-brown
silver	anthracite
brass	

## Motorisation and control

### Motor data

Voltage 24 V, current 1A, including integrated limit stop.

### Attention


Please use, due to the the integrated limit stop, only the original control parts. Third party products may cause damage.

For information about controlling the blinds, please refer to section **Accessories for motorised blinds starting on page 4.1.**

## Drop Limitation - Simply Cell

model type	fabric quality	max. height cm	max. m <sup>2</sup>
F4, FE F Touch	Elan	260	5
	Elan BO	260	5
	Uni BO	260	5
	Batiste	230	4
	Twin Elan / Twin Elan BO	170	3

# SIMPLY CELL - SIMPLY PLEAT




## 1 Freehanging blinds with handle, chain operation, motorised

### Accessories F Touch, F 4, FE

	Art. no.	Article	For model type
	2001 01	tension shoe white	F 4, FE with guide wires
	2001 03	grey	
	2001 06	black	
	2002 01	tension shoe for bracket white	F 4, FE with guide wires
	2002 03	grey	
	2002 06	black	
	2201 01	bracket, short white	F 4, FE
	2201 03	grey	
	2201 06	black	
	2202 01	bracket, long white	F 4, FE
	2202 03	grey	
	2202 06	black	
	2299 01	cover for bracket (not for bracket 2201 ..)	F 4, FE
	2299 03	grey	
	2299 06	black	
	2301 01	clamp bracket white	F 4, FE
	2301 03	grey	
	2301 06	black	
	2349 06	sealing pad for clamp bracket black	F 4, FE

## 1 Freehanging blinds with handle, chain operation, motorised



1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular

4 accessories  
motorised

5 accessories


6 material properties

### Accessories F Touch, F 4, FE

	Art. no.	Article	For model type
		operating handle for middle operating rail	VS 3, VS 3 SD
	3033 01	white	
	3033 03	grey	
	3033 06	black	
		clip F 4 / motorised	F 4, FE
	2352 01	white	
	2352 02	silver	
	2352 06	black	
	2353 02	clip for head rail F Touch silver	F Touch
		adaptor 11°, adaptable to 44°	F 4, FE
	2903 01	white	
	2903 03	grey	
	2903 04	brown	
		adaptor 15°	F 4, FE
	2904 01	white	
		adaptor 45°	F 4, FE
	2905 01	white	
	2905 06	black	
		2922 00	chain holder transparent


# SIMPLY CELL - SIMPLY PLEAT

## 1 Freehanging blinds with handle, chain operation, motorised



Measurements F Touch, F 4, FE

### Fitting in front of the window recess




Measure the recess width and height plus the desired overlaps (recommendation at least 30 mm on each side; at the top if possible: overlap = package height). Please note protruding window ledges.

**Order width** = B

**Order height** = H

### Fitting inside the window recess





Measure the width B at several points in case of possible size tolerances of the window recess. Use the shortest measured width.

**Order width** = B minus 5 mm

**Order height** = H minus 5 mm

### Fitting on the casement (with brackets) - not for F Touch!



When measuring pay attention to protruding window furniture.


**Order width** = B plus the desired overlap (X)

**Order height** = H plus the desired overlap (X)

#### Notes

- dimension H = top edge of rail
- clip and bracket together require another 4.5 mm

## 1 Freehanging blinds with handle, chain operation, motorised



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular


4 accessories motorised

5 accessories

6 material properties

Measurements F Touch, F 4, FE

### Fitting on the casement (with clamp brackets) - not for F Touch!



**!** Please check whether the clamp brackets can be used with regard to the mechanism of the window and distance to the window ledge (thickness casement max. 25 mm).

When measuring pay attention to protruding window furniture.

**Order width** = B plus the desired overlap (X)

**Order height**


with guide wires

**Order height** = H minus 10 mm

without guide wires

**Order height** = H minus 5 mm

### Fitting in the window beading - not for F Touch!



Measure the width B at several points in case of possible size tolerances of the window.


**Order width** = B

**Order height** = H

**Order width** = B minus 5 mm

**Order height** = H


### General notes




**Attention!**

fabric width = rail width

**End caps protrude!**



**Distance blind - glass pane: at least 5 mm!**



**Several blinds side by side:**


Light slit (fabric gap) between the blinds approx. 10 mm. Required rail distance is determined by the producer.



**Installation height for F 4 must be specified!**

Please refer to the notes concerning Child Safety on page V.6.

## 1 Freehanging blinds with handle, chain operation, motorised



### Prices F Touch, F 4, FE<sup>1</sup>

Max.blind width depends on the width of the fabric; F Touch max. height 210cm; FE min. width 60cm, note surcharge motor!


height cm	price group	width cm																			S.P.*		
		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260		270	280
80	0	427	458	485	516	543	575	608	643	676	712	745	774	803	835	862	893	924	955	986	1017	1048	25
	1	473	506	539	575	606	643	683	720	762	801	841	876	909	945	976	1012	1048	1084	1120	1156	1192	
	2	491	529	566	606	643	679	718	756	793	832	868	907	943	982	1016	1054	1092	1130	1168	1206	1244	
	3	543	585	627	672	714	753	797	841	884	926	968	1011	1053	1095	1134	1177	1220	1263	1306	1349	1392	
90	0	439	468	496	529	556	587	620	654	689	724	758	787	816	847	874	905	936	967	998	1029	1060	28
	1	493	529	564	602	637	676	718	760	801	845	887	924	961	999	1032	1071	1110	1149	1188	1227	1266	
	2	514	556	593	637	674	714	753	795	835	876	914	955	993	1034	1070	1110	1150	1190	1230	1270	1310	
	3	570	616	660	708	751	795	841	887	932	978	1020	1065	1109	1155	1196	1241	1286	1331	1376	1421	1466	
100	0	464	493	520	554	581	612	645	681	714	749	783	814	843	874	899	930	961	992	1023	1054	1085	28
	1	514	554	591	631	668	710	753	799	845	891	934	976	1013	1055	1090	1131	1172	1213	1254	1295	1336	
	2	543	587	627	672	712	753	795	839	880	924	966	1007	1049	1090	1130	1172	1214	1256	1298	1340	1382	
	3	604	652	697	747	795	841	889	936	984	1032	1078	1126	1174	1221	1265	1313	1361	1409	1457	1505	1553	
110	0	477	508	539	572	602	635	672	710	747	785	820	853	884	918	947	981	1015	1049	1083	1117	1151	30
	1	535	575	610	652	689	731	774	820	864	912	955	997	1034	1076	1111	1152	1193	1234	1275	1316	1357	
	2	560	606	647	695	737	780	824	870	914	959	1001	1047	1090	1134	1176	1221	1266	1311	1356	1401	1446	
	3	622	672	720	774	822	870	922	972	1022	1074	1122	1172	1221	1271	1317	1367	1417	1467	1517	1567	1617	
120	0	489	523	554	591	622	660	699	739	778	818	857	893	926	961	995	1031	1067	1103	1139	1175	1211	32
	1	545	585	624	668	708	751	799	845	895	943	991	1034	1074	1117	1157	1201	1245	1289	1333	1377	1421	
	2	579	624	670	718	764	810	855	903	949	997	1040	1088	1134	1180	1224	1271	1318	1365	1412	1459	1506	
	3	643	695	747	801	853	903	957	1009	1063	1115	1167	1219	1271	1323	1373	1426	1479	1532	1585	1638	1691	
130	0	502	535	568	604	637	668	708	747	787	828	868	903	936	972	1003	1039	1075	1111	1147	1183	1219	40
	1	572	616	658	704	745	787	837	887	939	991	1040	1086	1130	1174	1215	1261	1307	1353	1399	1445	1491	
	2	597	645	693	743	791	839	887	936	984	1034	1082	1130	1178	1226	1271	1320	1369	1418	1467	1516	1565	
	3	664	720	772	830	884	936	993	1049	1103	1159	1213	1269	1321	1377	1429	1484	1539	1594	1649	1704	1759	
140	0	520	558	591	631	666	701	739	780	824	866	907	947	982	1020	1055	1094	1133	1172	1211	1250	1289	40
	1	595	643	687	735	780	824	872	924	978	1032	1084	1134	1180	1228	1271	1319	1367	1415	1463	1511	1559	
	2	616	668	718	770	820	868	920	972	1022	1074	1124	1174	1224	1273	1321	1372	1423	1474	1525	1576	1627	
	3	687	745	801	862	918	972	1030	1088	1147	1205	1261	1319	1375	1432	1486	1544	1602	1660	1718	1776	1834	
150	0	529	566	602	641	676	712	749	787	828	872	914	951	988	1026	1059	1097	1135	1173	1211	1249	1287	42
	1	610	660	708	758	805	853	901	951	1007	1065	1120	1172	1219	1269	1315	1366	1417	1468	1519	1570	1621	
	2	635	689	739	795	847	897	951	1005	1057	1111	1163	1215	1267	1321	1369	1422	1475	1528	1581	1634	1687	
	3	708	768	826	889	947	1005	1068	1128	1188	1248	1307	1367	1425	1486	1542	1602	1662	1722	1782	1842	1902	
160	0	541	583	620	662	699	739	778	818	857	905	949	988	1028	1068	1105	1146	1187	1228	1269	1310	1351	44
	1	631	679	726	778	826	874	924	974	1024	1080	1136	1186	1234	1286	1332	1383	1434	1485	1536	1587	1638	
	2	660	714	768	826	880	932	988	1045	1099	1155	1209	1263	1317	1373	1423	1478	1533	1588	1643	1698	1753	
	3	737	799	860	924	986	1047	1109	1172	1236	1298	1359	1421	1484	1546	1604	1667	1730	1793	1856	1919	1982	
170	0	560	604	643	689	737	770	814	855	899	941	988	1032	1072	1115	1155	1198	1241	1284	1327	1370	1413	48
	1	654	708	758	812	862	914	966	1018	1032	1122	1182	1234	1286	1338	1386	1439	1492	1545	1598	1651	1704	
	2	681	739	797	860	918	974	1034	1095	1155	1213	1271	1332	1390	1448	1504	1564	1624	1684	1744	1804	1864	
	3	760	828	893	964	1030	1095	1163	1230	1298	1367	1432	1500	1565	1633	1698	1766	1834	1902	1970	2038	2106	
180	0	575	618	658	704	745	787	828	872	916	957	999	1043	1082	1126	1165	1208	1251	1294	1337	1380	1423	50
	1	674	731	783	841	893	947	1003	1057	1113	1167	1221	1278	1330	1386	1436	1491	1546	1601	1656	1711	1766	
	2	693	753	812	874	930	988	1049	1109	1167	1228	1286	1346	1402	1463	1519	1579	1639	1699	1759	1819	1879	
	3	776	843	909	978	1045	1111	1178	1246	1315	1382	1448	1515	1581	1650	1712	1780	1848	1916	1984	2052	2120	
190	0	589	633	674	718	760	801	843	887	930	974	1013	1057	1099	1140	1180	1223	1266	1309	1352	1395	1438	50
	1	689	747	803	864	920	974	1032	1090	1149	1205	1261	1319	1375	1434	1486	1544	1602	1660	1718	1776	1834	
	2	714	776	837	899	959	1020	1082	1142	1205	1267	1328	1390	1448	1511	1569	1631	1693	1755	1817	1879	1941	
	3	799	870	936	1009	1078	1147	1217	1286	1357	1427	1496	1567	1633	1704	1771	1841	1911	1981	2051	2121	2191	
200	0	604	649	693	741	785	828	874	918	964	1009	1053	1099	1142	1188	1230	1275	1320	1365	1410	1455	1500	57
	1	704	762	816	876	932	988	1045	1103	1161	1219	1276	1332	1388	1446	1500	1558	1616	1674	1732	1790	1848	
	2	737	803	868	934	999	1063	1130	1196	1263	1328	1392	1459	1523	1590	1652	1718	1784	1850	1916	1982	2048	
	3	824	899	974	1051	1124	1196	1271	1346	1423	1498	1571	1646	1719	1793	1866	1941	2016	2091	2166	2241	2316	
4	926	1011	1095	1184	1267	1350	1436	1521	1606	1692	1777	1862	1945	2031	2112	2197	2282	2367	2452	2537	2622		
bracket qty		3	3	3	4	4	4	4	4	5	5	5	5	6	6	6	6	6	7	7	7	8	8

S.P.\* = Surcharge guide wire except F Touch

1 vertical blinds rectangular  
2 vertical blinds special shapes  
3 roof blinds special shapes  
4 accessories motorised  
5 accessories  
6 material properties

# 1 Freehanging blinds

## with handle, chain operation, motorised



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties

### Prices F Touch, F 4, FE<sup>1</sup>

Max.blind width depends on the width of the fabric; F Touch max. height 210cm; FE min. width 60cm, note surcharge motor!

height cm	price group	width cm																			S.P.*		
		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260		270	280
210	0	624	672	718	768	814	860	907	955	1003	1051	1097	1144	1190	1238	1282	1330	1378	1426	1474	1522	1570	57
	1	735	793	851	914	972	1030	1090	1151	1211	1271	1330	1390	1448	1508	1565	1625	1685	1745	1805	1865	1925	
	2	762	828	891	959	1024	1088	1155	1221	1286	1352	1417	1484	1548	1615	1677	1743	1809	1875	1941	2007	2073	
	3	853	928	1001	1078	1153	1226	1300	1375	1450	1525	1600	1675	1748	1823	1893	1968	2043	2118	2193	2268	2343	
	4	959	1045	1128	1215	1298	1384	1469	1554	1640	1725	1808	1893	1976	2064	2145	2230	2315	2400	2485	2570	2655	
220	0	627	674	720	770	816	862	912	959	1007	1055	1101	1149	1194	1242	1286	1334	1382	1430	1478	1526	1574	67
	1	745	808	868	932	993	1053	1115	1180	1242	1305	1365	1427	1488	1550	1608	1670	1732	1794	1856	1918	1980	
	2	787	855	924	997	1065	1134	1205	1276	1346	1417	1486	1554	1623	1694	1760	1830	1900	1970	2040	2110	2180	
	3	882	961	1040	1122	1201	1278	1359	1438	1519	1598	1677	1756	1835	1914	1991	2071	2151	2231	2311	2391	2471	
	4	991	1082	1172	1265	1355	1444	1536	1625	1716	1808	1897	1989	2078	2170	2257	2348	2439	2530	2621	2712	2803	
230	0	649	699	749	801	849	897	947	999	1049	1099	1147	1199	1246	1296	1342	1392	1442	1492	1542	1592	1642	61
	1	766	830	893	961	1024	1086	1153	1217	1282	1346	1411	1475	1538	1604	1664	1729	1794	1859	1924	1989	2054	
	2	797	870	941	1016	1086	1157	1230	1303	1375	1448	1519	1592	1660	1733	1802	1874	1946	2018	2090	2162	2234	
	3	895	978	1059	1142	1224	1305	1386	1469	1552	1635	1714	1798	1879	1962	2039	2121	2203	2285	2367	2449	2531	
	4	1007	1101	1192	1290	1382	1473	1567	1662	1756	1850	1941	2037	2128	2222	2311	2405	2499	2593	2687	2781	2875	
240	0	658	708	756	810	857	905	955	1005	1057	1107	1155	1205	1255	1305	1350	1400	1450	1500	1550	1600	1650	61
	1	783	851	916	986	1051	1117	1184	1253	1319	1388	1452	1521	1585	1654	1716	1783	1850	1917	1984	2051	2118	
	2	822	897	970	1047	1120	1192	1267	1342	1417	1492	1565	1640	1712	1787	1856	1931	2006	2081	2156	2231	2306	
	3	924	1009	1090	1178	1261	1344	1429	1515	1600	1685	1768	1854	1935	2020	2101	2186	2271	2356	2441	2526	2611	
	4	1040	1136	1232	1330	1425	1519	1617	1714	1810	1908	2001	2099	2195	2291	2384	2481	2578	2675	2772	2869	2966	
250	0	670	724	774	828	880	930	984	1036	1088	1142	1192	1246	1296	1350	1398	1451	1504	1557	1610	1663	1716	63
	1	799	870	936	1009	1076	1144	1215	1286	1352	1425	1492	1565	1631	1702	1766	1836	1906	1976	2046	2116	2186	
	2	841	918	993	1072	1147	1221	1300	1377	1452	1533	1608	1685	1760	1837	1908	1985	2062	2139	2216	2293	2370	
	3	945	1032	1117	1207	1292	1377	1465	1552	1640	1729	1814	1902	1987	2074	2157	2244	2331	2418	2505	2592	2679	
	4	1063	1163	1261	1363	1461	1558	1658	1758	1858	1958	2056	2155	2253	2353	2447	2546	2645	2744	2843	2942	3041	
260	0	683	741	793	847	903	955	1013	1068	1120	1178	1230	1288	1338	1396	1446	1501	1556	1611	1666	1721	1776	65
	1	816	889	957	1032	1101	1172	1246	1319	1386	1463	1531	1608	1677	1750	1816	1888	1960	2032	2104	2176	2248	
	2	860	939	1016	1097	1174	1251	1334	1413	1488	1575	1652	1731	1808	1887	1960	2039	2118	2197	2276	2355	2434	
	3	966	1055	1144	1236	1323	1411	1500	1590	1679	1773	1860	1949	2039	2128	2214	2304	2394	2484	2574	2664	2754	
	4	1086	1190	1290	1396	1496	1598	1700	1802	1906	2008	2110	2212	2311	2415	2509	2611	2713	2815	2917	3019	3121	
270	0	698	757	811	866	923	977	1036	1092	1145	1204	1257	1317	1368	1428	1479	1535	1591	1647	1703	1759	1815	65
	1	836	911	981	1058	1129	1202	1278	1353	1421	1500	1570	1649	1720	1795	1863	1937	2011	2085	2159	2233	2307	
	2	881	962	1041	1125	1204	1283	1369	1450	1527	1617	1696	1777	1857	1938	2013	2094	2175	2256	2337	2418	2499	
	3	990	1082	1173	1268	1357	1448	1540	1632	1724	1821	1910	2002	2094	2186	2274	2367	2460	2553	2646	2739	2832	
	4	1113	1221	1323	1433	1535	1641	1745	1850	1958	2062	2168	2272	2374	2481	2578	2683	2788	2893	2998	3103	3208	
280	0	713	773	829	885	943	999	1059	1116	1170	1230	1284	1346	1398	1460	1512	1570	1628	1686	1744	1802	1860	67
	1	856	933	1005	1084	1157	1232	1310	1387	1456	1537	1609	1690	1763	1840	1910	1986	2062	2138	2214	2290	2366	
	2	902	985	1066	1153	1234	1315	1404	1487	1566	1659	1740	1823	1906	1989	2066	2150	2234	2318	2402	2486	2570	
	3	1014	1109	1202	1300	1391	1485	1580	1674	1769	1869	1960	2055	2149	2244	2334	2429	2524	2619	2714	2809	2904	
	4	1140	1252	1356	1470	1574	1684	1790	1898	2010	2116	2226	2332	2437	2547	2647	2755	2863	2971	3079	3187	3295	
290	0	728	789	847	904	963	1021	1082	1140	1195	1256	1311	1375	1428	1492	1545	1604	1663	1722	1781	1840	1899	67
	1	876	955	1029	1110	1185	1262	1342	1421	1491	1574	1648	1731	1806	1885	1957	2035	2113	2191	2269	2347	2425	
	2	923	1008	1091	1181	1264	1347	1439	1524	1605	1701	1784	1869	1955	2040	2119	2205	2291	2377	2463	2549	2635	
	3	1038	1136	1231	1332	1425	1522	1620	1716	1814	1917	2010	2108	2204	2302	2394	2492	2590	2688	2786	2884	2982	
	4	1167	1283	1389	1507	1613	1727	1835	1946	2062	2170	2284	2392	2500	2613	2716	2827	2938	3049	3160	3271	3382	
300	0	743	805	865	923	983	1043	1105	1164	1220	1282	1338	1404	1458	1524	1578	1638	1698	1758	1818	1878	1938	71
	1	896	977	1053	1136	1213	1292	1374	1455	1526	1611	1687	1772	1849	1930	2004	2084	2164	2244	2324	2404	2484	
	2	944	1031	1116	1209	1294	1379	1474	1561	1644	1743	1828	1915	2004	2091	2172	2260	2348	2436	2524	2612	2700	
	3	1062	1163	1260	1364	1459	1559	1660	1758	1859	1965	2060	2161	2259	2360	2454	2554	2654	2754	2854	2954	3054	
	4	1194	1314	1422	1544	1652	1770	1880	1994	2114	2224	2342	2452	2563	2679	2785	2899	3013	3127	3241	3355	3469	
bracket qty		3	3	3	4	4	4	4	5	5	5	5	6	6	6	6	6	7	7	7	8	8	

S.P.\* = Surcharge guide wire  
except F Touch

### Surcharge FE

Motor per blind: 396,00

Please see the respective surcharge for the controls in the accessories for motorised blinds register.

### <sup>1</sup>calculation FE

Size and Price Group of the blind

+ motor

+ external radio receiver

+ radio remote control (1 channel)

+ power supply (e.g. internal)

= total Price

#### example:

B 80 x H 120 / PG 2 = 579,00

+ motor = 396,00

+ external radio receiver = 316,00


+ radio remote control = 166,00

+ power supply (e.g. internal) = 236,00

= total Price = 1693,00

# SIMPLY PLEAT

## 1 Freehanging blinds with handle, chain operation, motorised



### Prices F Touch, F 4, FE<sup>1</sup>

Max.blind width depends on the width of the fabric; F Touch max. height 210cm; FE min. width 60cm, note surcharge motor!


height cm	price group	width cm																				S.P.*
		60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230			
80	0	306	323	342	373	396	414	446	479	504	520	541	581	604	631	656	687	718	743	28		
	1	323	342	362	402	423	448	483	516	541	570	597	633	662	691	718	758	789	820			
	2	348	373	402	444	475	500	541	583	618	649	676	724	760	795	832	880	916	951			
	3	362	392	423	466	496	529	577	618	656	691	724	768	810	853	889	941	978	1018			
90	0	312	331	350	383	404	427	456	493	516	537	562	597	622	649	672	712	739	764	30		
	1	331	352	373	412	437	466	500	535	568	593	618	660	687	722	749	789	822	853			
	2	362	392	423	462	493	527	572	612	649	681	716	760	797	843	878	924	968	1005			
	3	379	412	444	489	520	562	604	654	693	726	766	820	860	901	941	997	1036	1080			
100	0	323	340	360	396	414	444	473	508	531	552	581	612	641	670	693	735	760	787	32		
	1	342	364	389	427	454	485	516	556	587	612	641	681	716	749	778	822	857	884			
	2	375	412	441	487	516	558	600	641	676	716	753	797	847	882	922	974	1016	1051			
	3	396	431	466	514	552	587	635	691	726	766	801	862	905	951	997	1047	1097	1138			
110	0	329	348	369	406	427	454	487	518	545	572	597	633	662	691	716	756	785	812	34		
	1	350	375	404	444	475	500	537	579	608	635	666	708	743	778	810	857	889	920			
	2	392	425	458	506	539	579	624	672	712	753	787	843	882	926	968	1018	1061	1107			
	3	414	452	487	539	577	618	666	722	766	810	853	909	953	1003	1045	1103	1151	1194			
120	0	337	358	379	421	441	468	500	535	568	591	612	654	676	712	737	774	801	832	36		
	1	362	389	416	458	487	516	556	600	631	662	693	737	768	801	841	884	920	953			
	2	412	444	479	527	566	604	654	704	747	785	828	880	924	972	1013	1065	1111	1155			
	3	431	468	506	566	604	645	704	758	801	851	891	953	1003	1049	1099	1155	1211	1257			
130	0	344	364	392	427	452	483	514	550	581	604	631	670	701	733	758	797	830	860	38		
	1	373	402	431	477	500	535	579	618	654	687	718	760	795	837	872	916	955	988			
	2	425	462	498	556	587	631	685	735	778	826	864	920	966	1013	1057	1113	1163	1211			
	3	452	489	531	591	631	681	737	791	847	889	941	999	1047	1101	1151	1215	1267	1315			
140	0	352	375	402	441	466	493	527	570	597	622	649	687	722	753	778	822	857	882	40		
	1	385	416	446	489	518	558	597	639	674	708	743	787	828	864	895	951	984	1020			
	2	441	483	518	572	612	660	712	766	816	860	905	957	1007	1057	1103	1163	1213	1259			
	3	468	508	558	612	662	708	768	832	882	934	982	1040	1099	1151	1203	1267	1321	1380			
150	0	362	385	414	452	479	506	541	583	612	639	666	708	739	768	797	847	878	909	42		
	1	400	427	458	504	537	572	614	662	701	735	766	820	857	893	932	978	1018	1051			
	2	456	498	539	597	639	685	739	799	851	891	943	1003	1047	1101	1144	1213	1259	1309			
	3	487	535	579	641	687	739	801	868	922	974	1026	1092	1142	1203	1257	1321	1384	1440			
160	0	369	400	423	462	489	518	562	600	629	660	685	726	758	791	822	868	901	932	44		
	1	412	441	477	520	558	591	635	687	722	758	791	847	882	924	964	1013	1049	1092			
	2	477	516	562	618	664	712	770	832	882	934	978	1038	1092	1142	1194	1259	1309	1367			
	3	504	558	602	672	718	768	843	909	964	1016	1070	1134	1196	1255	1311	1382	1444	1498			
170	0	379	410	435	477	504	531	577	614	645	672	704	747	778	812	849	889	924	953	46		
	1	423	454	487	537	572	610	660	706	747	780	822	872	914	953	995	1040	1088	1124			
	2	489	537	581	643	691	739	799	864	916	968	1016	1080	1132	1192	1236	1305	1367	1413			
	3	527	577	624	693	747	810	874	945	1003	1059	1113	1186	1246	1307	1369	1442	1498	1558			
180	0	389	416	444	487	516	552	587	631	662	695	722	766	797	837	868	912	945	976	48		
	1	435	468	500	558	591	624	681	726	768	810	849	895	943	982	1020	1078	1120	1155			
	2	506	558	602	670	714	766	837	895	953	1005	1057	1122	1174	1232	1286	1357	1411	1467			
	3	545	600	654	724	776	839	912	982	1040	1101	1155	1228	1290	1359	1421	1494	1560	1621			
190	0	400	425	456	498	529	566	602	645	676	708	739	785	826	857	889	934	968	1003	50		
	1	446	483	518	570	608	649	701	753	791	837	874	924	968	1013	1051	1107	1151	1190			
	2	527	577	622	691	739	799	864	934	988	1038	1097	1161	1217	1278	1336	1402	1465	1519			
	3	566	618	681	749	812	872	947	1018	1082	1140	1205	1278	1348	1411	1475	1550	1619	1681			
200	0	410	437	466	514	541	577	618	662	697	726	758	801	847	878	914	955	997	1026	52		
	1	456	496	535	591	622	672	722	770	820	860	901	953	999	1040	1097	1138	1184	1226			
	2	541	597	649	714	766	828	895	966	1020	1080	1132	1203	1263	1321	1411	1452	1513	1571			
	3	583	645	701	778	841	909	982	1059	1124	1190	1253	1325	1398	1465	1560	1608	1679	1741			
210	0	416	448	479	525	560	591	633	681	716	747	778	828	862	895	932	978	1016	1047	55		
	1	468	506	552	604	643	687	743	797	847	882	924	982	1028	1076	1124	1172	1217	1259			
	2	562	612	672	739	799	853	932	999	1059	1113	1174	1246	1307	1371	1429	1498	1565	1623			
	3	604	670	728	812	872	936	1020	1101	1169	1228	1296	1377	1446	1515	1585	1660	1733	1800			
220	0	425	456	489	537	570	604	649	697	733	766	795	849	882	922	955	1005	1038	1070	57		
	1	485	527	566	620	664	708	764	826	868	912	953	1009	1057	1103	1142	1205	1253	1294			
	2	579	635	691	764	828	882	964	1034	1097	1153	1213	1286	1352	1413	1475	1550	1617	1675			
	3	622	691	756	839	905	972	1059	1134	1211	1276	1346	1432	1496	1569	1637	1721	1789	1862			
230	0	437	468	500	556	583	618	664	712	749	785	822	868	905	945	976	1026	1061	1099	59		
	1	496	539	581	641	683	728	785	849	891	941	978	1038	1088	1132	1180	1234	1284	1330			
	2	600	656	714	795	851	916	995	1068	1130	1194	1255	1330	1398	1463	1523	1600	1660	1725			
	3	652	714	778	868	934	1005	1097	1182	1253	1319	1390	1475	1550	1623	1694	1777	1852	1929			
bracket qty		2	3	3	3	3	4	4	4	4	5	5	5	5	6	6	6	6	6			

S.P.\* = Surcharge guide wire except F Touch

1 vertical blinds rectangular  
2 vertical blinds special shapes  
3 roof blinds special shapes  
4 accessories motorised  
5 accessories  
6 material properties



# 1 Freehanging blinds with handle, chain operation, motorised



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties

## Prices F Touch, F 4, FE<sup>1</sup>

Max.blind width depends on the width of the fabric; F Touch max. height 210 cm; FE min. width 60 cm, note surcharge motor!

height cm	price group	width cm																		S.P.*
		60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	
240	0	446	483	514	566	600	635	685	733	766	799	841	884	924	966	999	1045	1088	1122	61
	1	506	556	597	660	701	749	812	868	916	964	1007	1068	1113	1163	1211	1267	1317	1367	
	2	614	676	737	820	878	947	1026	1103	1172	1228	1294	1373	1442	1506	1569	1648	1714	1779	
	3	672	737	812	899	966	1040	1132	1217	1294	1369	1440	1527	1600	1681	1748	1837	1912	1987	
250	0	456	489	525	577	610	649	697	747	785	826	860	909	947	984	1020	1070	1109	1142	63
	1	525	568	612	676	722	768	832	893	945	988	1036	1097	1142	1196	1242	1298	1352	1400	
	2	635	697	760	843	912	976	1059	1134	1205	1267	1338	1413	1484	1556	1619	1700	1766	1831	
	3	691	764	839	930	999	1078	1174	1259	1338	1413	1484	1575	1650	1727	1806	1897	1972	2049	
260	0	466	500	537	591	622	670	712	764	801	843	878	926	968	1007	1040	1097	1132	1169	65
	1	537	583	624	693	739	795	857	916	968	1016	1061	1124	1172	1226	1273	1338	1384	1434	
	2	656	722	787	872	936	1005	1097	1180	1246	1311	1377	1463	1529	1600	1662	1746	1816	1883	
	3	714	789	868	957	1034	1111	1211	1305	1382	1461	1533	1627	1706	1783	1860	1956	2033	2110	
270	0	475	510	548	603	635	684	727	780	818	861	897	945	988	1028	1062	1119	1155	1193	67
	1	549	596	639	709	756	814	878	938	991	1040	1087	1151	1200	1255	1304	1370	1417	1468	
	2	673	742	808	896	962	1033	1128	1213	1281	1348	1416	1504	1572	1645	1709	1794	1866	1935	
	3	733	811	893	985	1064	1144	1246	1343	1422	1503	1578	1675	1756	1835	1914	2012	2091	2170	
280	0	484	519	559	615	648	699	741	796	834	879	916	964	1008	1049	1083	1142	1178	1217	69
	1	561	610	654	725	774	834	899	960	1015	1065	1113	1178	1228	1285	1335	1402	1450	1502	
	2	690	761	829	920	988	1061	1158	1246	1316	1384	1455	1545	1615	1689	1755	1842	1916	1986	
	3	753	833	917	1012	1094	1176	1282	1381	1462	1546	1623	1723	1806	1886	1968	2068	2150	2231	
290	0	493	529	570	628	660	713	756	811	851	897	934	984	1028	1070	1105	1165	1201	1241	71
	1	573	623	668	742	792	853	920	982	1039	1090	1139	1206	1256	1315	1366	1435	1483	1536	
	2	707	780	851	943	1013	1089	1189	1279	1351	1421	1494	1586	1658	1734	1801	1890	1966	2038	
	3	773	855	942	1039	1124	1208	1317	1419	1503	1589	1668	1770	1856	1938	2022	2125	2208	2292	
300	0	502	539	581	640	673	727	771	827	867	915	953	1003	1049	1091	1126	1188	1224	1264	73
	1	585	637	683	758	809	872	941	1004	1062	1114	1164	1233	1285	1344	1397	1467	1516	1570	
	2	724	800	872	967	1039	1117	1220	1313	1386	1458	1533	1627	1700	1779	1847	1938	2016	2090	
	3	792	877	967	1066	1154	1241	1352	1457	1543	1632	1713	1818	1905	1990	2076	2181	2267	2352	
bracket qty		2	3	3	3	3	4	4	4	4	5	5	5	5	6	6	6	6	6	

S.P.\* = Surcharge guide wire  
except F Touch

## blinds with overlapping only F1 + F2

halve width of the blind

Price of two blinds

+ 10 %

= **total Price** (always results from 2 single blinds)

### example W 260 x H 200/ PG1

2 x W 130 x H 200/ PG 1

2 x 770 = 1540,00

+ 10 % = 154,00

= **total Price** = 1694,00

## Surcharge FE

**Motor per blind: 396,00**

Please see the respective surcharge for the controls in the accessories for motorised blinds register.

## <sup>1</sup>calculation FE

Size and Price Group of the blind

+ motor

+ external radio receiver

+ radio remote control (1 channel)

+ power supply (e.g. internal)

= **total Price**

### example:

B 80 x H 120 / PG 2 = 479,00

+ motor = 396,00

+ external radio receiver = 316,00


+ radio remote control = 166,00

+ power supply (e.g. internal) = 236,00








= **total Price** = 1593,00

# SIMPLY CELL - SIMPLY PLEAT


## 1 Freehanging blinds



Prices optional accessories F Touch, F 4, FE

	Art. no.	Article	Price
	2202 01	bracket, long white	8,00 Piece
	2202 03	grey	8,00 Piece
	2202 06	black	8,00 Piece
		cover for bracket, long (not for bracket 2201 ..)	
	2299 01	white	2,00 Piece
	2299 03	grey	2,00 Piece
	2299 06	black	2,00 Piece
	2301 01	clamp bracket white	14,00 Piece
	2301 03	grey	14,00 Piece
	2301 06	black	14,00 Piece
		sealing pad for clamp bracket (2301..)	
	2349 06	black	2,00 Piece
	2903 01	clamp for operating rod / adaptor 11°, adaptable to 44°rank white	1,00 Piece
	2903 03	grey	1,00 Piece
	2903 04	brown	1,00 Piece
		adaptor 15°	
	2904 01	white	2,00 Piece
	2904 06	black	2,00 Piece
	2905 01	adaptor 5° white	2,00 Piece
	2905 06	black	2,00 Piece

## 2 Pre-tensioned and freehanging blinds for vertical, special shaped windows (tilt and turn windows)




# SIMPLY CELL - SIMPLY PLEAT

## 2 Freehanging special shaped blinds



### F Slope 1



#### Size ranges Simply Cell


Not available with Simply Cell.

#### Size ranges Simply Pleat

width (B)	min.	30 cm
	max.	80 cm
slope width	max.	100 cm
height 1 (H1)	min.	30 cm
	max.	260 cm
height 2 (H2)	min.	10 cm
angle (W)	min.	5°
	max.	35°


#### Package heights

blind height	package height
50 cm	ca. 6 cm
100 cm	ca. 7 cm
150 cm	ca. 8 cm
200 cm	ca. 9 cm
260 cm	ca. 10 cm



#### Notes

- the hanging fully retracts up to the sloped rail
- cord outlet available on high or low side (please specify)
- not available with guide wires



#### Rail colours

<input type="checkbox"/> white	<input type="checkbox"/> black-brown
<input type="checkbox"/> silver	<input type="checkbox"/> anthracite
<input type="checkbox"/> brass	

## 2 Freehanging special shaped blinds



1 vertical blinds rectangular

2 vertical blinds special shapes


3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties

### F Slope 2



#### Size ranges Simply Cell

width (B)	min.	30 cm
up to 15° angle max.		220 cm
up to 30° angle max.		190 cm
up to 40° angle max.		170 cm

slope width	max. <sup>1</sup>	220 cm
height 1 (H1)	min.	30 cm
	max.	260 cm

Twin Elan /B0	max.	170 cm
Batiste	max.	230 cm
height 2 (H2)	min.	10 cm
angle (W)	min.	5°
	max.	40°

<sup>1</sup> depending on fabric width

#### Size ranges Simply Pleat

width (B)	min.	30 cm
up to 15° angle max.		220 cm
up to 30° angle max.		190 cm
up to 45° angle max.		160 cm
up to 50° angle max.		110 cm

slope width	max. <sup>1</sup>	220 cm
height 1 (H1)	min.	30 cm
	max.	260 cm

height 2 (H2)	min.	10 cm
angle (W)	min.	5°
	max.	50°


<sup>1</sup> depending on fabric width

#### Package heights

blind height	package height
50 cm	ca. 6 cm
100 cm	ca. 7 cm
150 cm	ca. 8 cm
200 cm	ca. 9 cm
260 cm	ca. 10 cm

#### Rail colours

<input type="checkbox"/> white	<input type="checkbox"/> black-brown
<input type="checkbox"/> silver	<input type="checkbox"/> anthracite
<input type="checkbox"/> brass	



#### Notes

- the hanging fully retracts up to the sloped rail
- consider adaptors to level angled window beadings
- operation of the bottom hanging on the low side, for the top hanging on the high side
- not available with guide wires

# SIMPLY CELL - SIMPLY PLEAT

## 2 Freehanging special shaped blinds



### Accessories F Slope 1, F Slope 2

	Art. no.	Description	For model type
	2201 01	bracket, short white	F Slope 1, F Slope 2
	2201 03	grey	
	2201 06	black	
	2202 01	bracket, long white	F Slope 1, F Slope 2
	2202 03	grey	
	2299 01	cover for bracket white	F Slope 1, F Slope 2
	2299 03	grey	
	2299 06	black	
	2301 01	clamp bracket white	F Slope 1, F Slope 2
	2301 03	grey	
	2301 06	black	
	2349 06	sealing pad for clamp bracket black	F Slope 1, F Slope 2
	2351 01	clip white	F Slope 1, F Slope 2
	2351 02	silver	
	2351 06	black	
	2903 01	adaptor 11°, adaptable to 44° white	F Slope 1, F Slope 2
	2903 03	grey	
	2903 04	brown	
	2904 01	adaptor 15° white	F Slope 1, F Slope 2
	2904 06	black	

## 2 Freehanging special shaped blinds



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties

### Accessories F Slope 1, F Slope 2

	Art. no.	Description	For model type
		adaptor 45°	F Slope 1, F Slope 2
	2905 01	white	
	2905 06	black	
		cord winders	F Slope 1, F Slope 2
	2923 01	white	
	2923 03	grey	
	2923 06	black	


# SIMPLY CELL - SIMPLY PLEAT

## 2 Freehanging special shaped blinds




### Measurements F Slope 1, F Slope 2


#### Fitting in the window beading



#### Window beading angled:



#### Window beading straight:



Measure the width B at several points in case of possible size tolerances of the window recess.

**Order sizes\*** = B, H1 and H2  
(clear sizes)



**Reference size** = C

\*deductions are determined by the producer

**Please specify if window beading is angled or straight.**

#### Important notes on the model type F Slope 2

F Slope 2 are built with a hinge joint between the movable middle rail and the fixed top rail in the slope. When fitting the blind in an angled window beading, corresponding adaptors must be used to level the angle, otherwise the middle rail will protrude into the room.





**adaptor 11°, adaptable to 44°**  
Art. no. 2903 01 white  
Art. no. 2903 03 black  
Art. no. 2903 04 brown

**adaptor 15°**  
Art. no. 2904 01 white  
Art. no. 2904 03 black

**adaptor 45°**  
Art. no. 2905 01 white  
Art. no. 2905 03 black

#### Fitting on the casement (with brackets)



**X = desired overlap**

When measuring pay attention to protruding window furniture.

**Order sizes** = B, H1 and H2 plus the desired overlap (X)


**Reference size** = C plus the desired overlap (X)

#### Notes

- dimension H = top edge of rail
- clip and bracket together require another 4.5 mm



## 2 Freehanging special shaped blinds



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular


4 accessories motorised

5 accessories

6 material properties

### Measurements F Slope 1, F Slope 2

#### Fitting on the casement (with clamp brackets)




**!** Please check whether the clamp brackets can be used with regard to the mechanism of the window and distance to the window ledge (thickness casement max. 25 mm).

When measuring pay attention to protruding window furniture.


**Order sizes** = B, H1 and H2 plus the desired overlap (X)

**Reference size** = C

#### General notes




**Distance blind - glass pane: at least 5 mm!**



#### Several blinds side by side

Light slit (fabric gap) between the blinds approx. 10 mm.  
Required rail distance is determined by the producer.

#### Ratio fabric width to blind width



#### The steeper the angle, the less the width

The angle of the slope has a considerable influence on the maximum blind width. The diagram shows the possible blind width in relation to angle and width of the fabric on.

The height of the slope part is calculated H1 minus H2.




#### Installation height must be specified!

Please refer to the notes concerning Child Safety on page V.6.



## 2 Freehanging special shaped blinds



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties


### Prices F Slope 1, F Slope 2

Max.blind width: F Slope 1 = 80 cm, F Slope 2 depends on the width of the fabric; max. width 220 cm

height cm	price group	width cm																	
		50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220
200	0	264	291	317	365	403	435	466	493	535	568	597	630	674	709	742	777	822	865
	1	293	323	355	406	451	488	522	558	603	640	676	714	761	805	843	885	934	985
	2	321	358	394	454	503	545	589	631	681	723	768	814	867	916	963	1011	1070	1128
	3	460	511	562	613	664	715	766	817	868	919	970	1020	1071	1122	1173	1224	1275	1326
	4	529	588	646	705	764	822	881	939	998	1056	1115	1174	1232	1291	1349	1408	1466	1525
210	0	273	299	329	376	417	447	479	510	552	585	618	651	695	731	768	804	852	895
	1	302	334	366	420	466	502	538	576	622	662	701	740	789	832	873	916	967	1020
	2	334	371	409	469	521	566	609	653	706	752	798	844	901	951	1001	1051	1111	1171
	3	481	533	585	637	690	742	794	846	898	950	1002	1054	1107	1159	1211	1263	1315	1367
	4	553	613	673	733	793	853	913	973	1033	1093	1153	1213	1273	1332	1392	1452	1512	1572
220	0	281	309	339	387	428	461	492	526	570	604	640	675	718	757	793	832	880	924
	1	312	346	379	434	479	520	558	596	644	685	723	766	817	861	904	949	1004	1056
	2	344	384	423	487	539	586	632	675	732	777	827	875	934	986	1038	1089	1152	1215
	3	496	550	605	659	714	768	823	877	932	986	1041	1095	1150	1204	1259	1313	1368	1422
	4	570	633	696	758	821	884	946	1009	1072	1134	1197	1260	1322	1385	1447	1510	1573	1635
230	0	289	317	347	398	441	475	509	544	587	622	660	695	741	781	820	858	907	954
	1	321	356	390	447	495	535	575	615	665	706	748	791	844	890	934	979	1038	1094
	2	355	395	437	502	558	605	652	700	756	807	856	906	966	1022	1074	1129	1195	1260
	3	509	565	621	676	732	788	843	899	955	1010	1066	1122	1177	1233	1289	1344	1400	1456
	4	586	650	714	778	842	906	970	1034	1098	1162	1226	1290	1354	1418	1482	1546	1610	1674
240	0	295	328	358	410	453	489	524	561	605	642	679	717	764	807	844	885	935	985
	1	328	366	402	460	510	553	594	636	686	731	773	818	871	919	965	1012	1071	1129
	2	366	407	451	519	576	625	674	722	784	834	887	938	1003	1059	1113	1169	1238	1304
	3	518	576	634	692	750	808	866	924	982	1040	1098	1156	1215	1273	1331	1389	1447	1505
	4	596	662	729	796	863	929	996	1063	1130	1196	1263	1330	1397	1463	1530	1597	1664	1730
250	0	305	338	369	422	468	503	540	578	622	661	698	738	788	829	871	913	966	1017
	1	341	377	413	473	525	569	611	654	707	752	798	844	899	950	997	1045	1106	1165
	2	376	421	466	535	594	645	698	748	809	861	917	970	1037	1095	1151	1208	1279	1350
	3	531	590	650	709	767	826	886	945	1005	1064	1123	1183	1244	1304	1363	1422	1482	1540
	4	611	679	748	815	883	951	1019	1088	1156	1225	1294	1364	1433	1501	1569	1638	1706	1774
260	0	313	347	380	436	482	520	558	595	643	682	722	763	812	857	898	940	997	1049
	1	352	390	426	491	543	590	634	676	732	776	823	871	929	982	1030	1080	1142	1203
	2	392	437	483	555	616	669	721	774	839	893	949	1006	1072	1133	1190	1251	1323	1395
	3	544	604	666	726	784	844	906	966	1028	1088	1148	1210	1273	1335	1395	1455	1517	1575
	4	626	696	767	834	903	973	1042	1113	1182	1254	1325	1398	1469	1539	1608	1679	1748	1818
bracket qty		3	3	3	3	3	4	4	4	4	4	4	4	5	5	5	5	6	6



## 2 Freehanging special shaped blinds



1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular

4 accessories  
motorised

5 accessories

6 material properties

### Prices F Slope 1, F Slope 2

Max.blind width: F Slope 1 = 80 cm, F Slope 2 depends on the width of the fabric; max. width 220 cm







height cm	price group	width cm																	
		50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220
230	0	464	498	531	606	668	712	756	797	855	899	941	986	1053	1103	1151	1199	1267	1328
	1	510	556	600	689	762	810	864	914	984	1040	1099	1155	1228	1290	1350	1409	1492	1565
	2	595	654	716	820	909	980	1049	1122	1209	1282	1361	1432	1527	1608	1689	1768	1868	1966
	3	637	708	774	889	984	1063	1142	1221	1321	1402	1486	1571	1677	1768	1856	1945	2062	2172
240	0	471	506	543	618	685	726	770	812	872	916	968	1009	1076	1128	1176	1224	1294	1361
	1	523	572	616	706	776	830	887	939	1009	1068	1126	1188	1263	1325	1386	1442	1529	1606
	2	608	676	737	845	934	1009	1080	1157	1246	1323	1398	1477	1573	1664	1739	1823	1929	2031
	3	652	726	799	914	1013	1099	1180	1263	1363	1452	1536	1625	1729	1825	1916	2010	2126	2243
250	0	485	516	554	633	697	741	785	830	895	936	984	1034	1101	1155	1203	1257	1328	1390
	1	537	583	631	720	797	853	907	968	1036	1099	1157	1213	1294	1363	1421	1486	1571	1652
	2	629	695	762	870	966	1036	1113	1192	1282	1363	1438	1521	1625	1710	1796	1883	1991	2095
	3	679	749	820	941	1043	1130	1213	1298	1404	1494	1585	1677	1785	1887	1981	2076	2197	2313
260	0	500	535	568	649	714	764	805	851	914	961	1009	1061	1126	1180	1230	1282	1359	1421
	1	554	600	645	741	818	874	932	991	1068	1128	1190	1253	1330	1396	1463	1525	1615	1694
	2	645	716	783	899	993	1072	1151	1228	1325	1407	1490	1571	1675	1766	1852	1937	2053	2162
	3	699	774	847	976	1078	1172	1259	1342	1454	1542	1635	1729	1845	1949	2045	2145	2268	2388
bracket qty		3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	6	6

# SIMPLY CELL - SIMPLY PLEAT


## 2 Freehanging special shaped blinds



### Prices optional accessories F Slope 1, F Slope 2

	Art. no.	Article	Price
	2202 01	bracket, long white	8,00 Piece
	2202 03	grey	8,00 Piece
	2202 06	black	8,00 Piece
	2301 01	clamp bracket white	14,00 Piece
	2301 03	grey	14,00 Piece
	2301 06	black	14,00 Piece
	2349 06	sealing pad for clamp bracket (2301..) black	2,00 Piece
	2903 01	clamp for operating rod / adaptor 11°, adaptable to 44°rank white	1,00 Piece
	2903 03	grey	1,00 Piece
	2903 04	brown	1,00 Piece
	2904 01	adaptor 15° white	2,00 Piece
	2904 06	black	2,00 Piece
	2905 01	adaptor 15° white	2,00 Piece
	2905 06	black	2,00 Piece

## 3 Roof blinds for rectangular windows



1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular


4 accessories  
motorised

5 accessories


6 material properties

# SIMPLY CELL - SIMPLY PLEAT

## 3 Roof blinds for rectangular windows



### PL 11 with operating handle



#### Size ranges Simply Cell



width (B)	min.	20 cm
	max.	150 cm
height (H)	min.	30 cm
	max.	350 cm

#### Size ranges Simply Pleat

width (B)	min.	20 cm
	max.	150 cm
height (H)	min.	30 cm
	max.	400 cm

#### Package heights

blind height	package height
50 cm	ca. 6 cm
100 cm	ca. 7 cm
150 cm	ca. 8 cm
200 cm	ca. 9 cm
250 cm	ca. 10 cm
300 cm	ca. 11 cm
350 cm	ca. 12 cm
400 cm	ca. 13 cm




#### Notes

- optionally with operating rod
- horizontal or slope fitting possible
- fixed tension wires, UV-resistant and of black coated steel wire, max. distance 25 cm

#### Rail colours

white	black-brown
silver	anthracite
brass	

### PLK 13 with crank operation



#### Size ranges Simply Cell



width (B)	min.	20 cm
	max.	150 cm
height (H)	min.	30 cm
	max.	350 cm

#### Size ranges Simply Pleat

width (B)	min.	20 cm
	max.	150 cm
height (H)	min.	30 cm
	max.	400 cm

#### Package heights

blind height	package height
50 cm	ca. 6 cm
100 cm	ca. 7 cm
150 cm	ca. 8 cm
200 cm	ca. 9 cm
250 cm	ca. 10 cm
300 cm	ca. 11 cm
350 cm	ca. 12 cm
400 cm	ca. 13 cm



#### Notes


- available with manual or electric crank
- horizontal or slope fitting possible
- hanging and operation available on opposite sides (fig.) or on the same side (please specify)
- fixed tension wires, UV-resistant and of black coated steel wire, max. distance 25 cm
- operation available left, right or centre (please specify)

#### Rail colours

white	black-brown
silver	anthracite
brass	



## 3 Roof blinds for rectangular windows



1 vertical blinds rectangular

2 vertical blinds special shapes


3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties

### PLE 12 motorised



#### Size ranges Simply Cell

width (B)	min. <sup>1</sup>	36 cm
	max.	150 cm
height (H)	min.	30 cm
	max.	350 cm

<sup>1</sup> with external timer

#### Size ranges Simply Pleat

width (B)	min. <sup>1</sup>	36 cm
	max.	150 cm
height (H)	min.	30 cm
	max.	400 cm




<sup>1</sup> with external timer

#### Package heights

blind height	package height
50 cm	ca. 8 cm
100 cm	ca. 9 cm
150 cm	ca. 10 cm
200 cm	ca. 11 cm
250 cm	ca. 12 cm
300 cm	ca. 13 cm
350 cm	ca. 14 cm
400 cm	ca. 15 cm

#### Rail colours

	white		black-brown
	silver		anthracite
	brass		



#### Notes

- horizontal or slope fitting possible
- hanging and operation available on opposite sides (fig.) or on the same side (please specify)
- fixed tension wires, UV-resistant and of black coated steel wire, max. distance 25 cm
- not suitable for installation in humid areas and damp locations
- cable outlet available on left or right side (please specify)

## Motorisation and control

#### Motor data

Voltage 24 V, current 1A, including integrated limit stop.


#### Attention

Please use, due to the the integrated limit stop, only the original control parts. Third party products may cause damage.

For information about controlling the blinds, please refer to section **Accessories for motorised blinds starting on page 4.1.**

# SIMPLY CELL - SIMPLY PLEAT


## 3 Roof blinds for rectangular windows



### Accessories PL 11, PLK 13, PLE 12

	Art. no.	Article	For model type
		bracket, short	PL 11, PLK 13, PLE 12
	2201 01	white	
	2201 03	grey	
	2201 06	black	
		bracket, long	PL 11, PLK 13, PLE 12
	2202 01	white	
	2202 03	grey	
	2202 06	black	
		cover for bracket	PL 11, PLK 13, PLE 12
	2299 01	white	
	2299 03	grey	
	2299 06	black	
		mounting profile	PL 11, PLK 13, PLE 12
	1003 01	white	
	1003 02	silver	
	1003 05	black-brown	
	1003 07	brass	
		holder for mounting profile	PL 11, PLK 13, PLE 12
	2217 01	white	
	2217 02	silver	
	2217 06	black	
		bracket for mounting profile	PL 11, PLK 13, PLE 12
	2218 01	white	
	2218 03	grey	
	2218 06	black	
		pin for bracket mounting profile	PL 11, PLK 13, PLE 12
	2219 99	silver	
		clip	PL 11, PLK 13, PLE 12
	2351 01	white	
	2351 02	silver	
	2351 06	black	

## 3 Roof blinds for rectangular windows



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular

4 accessories motorised

5 accessories


6 material properties

### Accessories PL 11, PLK 13, PLE 12

	Art. no.	Article	For model type
		clip PLK / PLE	PLK 13, PLE 12
	2352 01	white	
	2352 02	silver	
	2352 06	black	
		operating rod (only in combination with operating handle 3032 ..)	PL 11
	3345 03	125 cm	
	3346 03	150 cm	
	3347 03	200 cm	
	3348 03	250 cm	
		operating handle for operating rod	PL 11
	3032 01	white	
	3032 03	grey	
	3032 06	black	
		operating handle	PL 11
	3031 01	white	
	3031 03	grey	
	3031 06	black	
		operating rod for electric crank (without battery motor)	PLK 13
	3365 03	125 cm	
	3366 03	150 cm	
	3367 03	200 cm	
	3368 03	250 cm	
		<u>requirements for battery motor:</u>	
		manual crank	PLK 13
	3385 03	125 cm	
	3386 03	150 cm	
	3387 03	200 cm	
	3388 03	250 cm	
		clamp for operating rod / crank	PL 11, PLK 13
	2924 03	grey	



# SIMPLY CELL - SIMPLY PLEAT

## 3 Roof blinds for rectangular windows



Measurements PL 11, PLK 13, PLE 12

### Fitting between the rafters





**!** Measure the width B at several points in case of possible size tolerances of the window recess. Use the shortest measured width.

Please consider the ventilation slots at the top and bottom in the length (H) as well as the thickness of the mounting profile.

**Order width** = B minus 5 mm  
**Order height** = H minus ventilation slots and mounting profile

### Fitting under the rafters



**X = desired overlap**

**!** Measure the width B at several points in case of possible size tolerances of the window recess. Use the shortest measured width.


Please consider the ventilation slots at the top and bottom in the length (H) as well as the thickness of the mounting profile.

**Order width** = blind size  
 = B plus the desired overlap (X)  
**Order height** = blind size = minus ventilation slots and mounting profile

#### Notes for fitting with brackets

- dimension H = top edge of rail
- clip and bracket together require another 4.5 mm

### General notes



#### Ventilation

Simply Cell and Simply Pleat blinds in conservatories are an ideal, functional sun protection. This requires adequate ventilation and air circulation.

Insufficient ventilation and air circulation can cause condensation. No warranty for material damage caused by dripping condensation water and sharp glass cleaner, which encounter directly or indirectly with the fabric. Also no warranty for insect excrements.

#### Fitting spaces


Please leave a minimum space of 100 mm between the blind and the glass pane and at least 50 mm at the top and bottom between the mounting profile and the wall to ensure sufficient circulation.

#### Attention!

No warranty on glass damages that occur after the installation of blinds.

Please consider the ventilation slots at the top and bottom.

## 3 Roof blinds for rectangular windows



1 vertical blinds rectangular

2 vertical blinds special shapes


3 roof blinds rectangular

4 accessories motorised

5 accessories

6 material properties


### General notes



**Measurements always specified from inside!**

#### Number of tension wires (black)

blind width	tension wires
20 cm	2
30 cm	3
40 cm	3
50 cm	3
60 cm	4
70 cm	4
80 cm	5
90 cm	5
100 cm	5
110 cm	6
120 cm	6
130 cm	7
140 cm	7
150 cm	7



**Attention!**

fabric width = rail width

**End caps protrude!**

**Attention!**

No warranty on glass damages that occur after the installation of blinds.

## Motorisation and control

### Motor data

Voltage 24 V, current 1A, including integrated limit stop.


### Attention

Please use, due to the the integrated limit stop, only the original control parts. Third party products may cause damage.

For information about controlling the blinds, please refer to section **Accessories for motorised blinds starting on page 4.1.**

# SIMPLY CELL

## 3 Roof blinds for rectangular windows




### Prices PL 11

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
80	0	288	315	344	398	427	460	512	548	602	639	660
	1	306	340	375	431	464	502	562	600	658	699	728
	2	329	362	398	458	500	539	604	645	714	753	791
	3	362	408	460	514	566	620	672	726	778	832	884
	4	377	468	531	591	652	712	774	835	895	957	1018
90	0	300	329	360	416	448	485	539	577	631	670	695
	1	319	356	394	452	491	527	589	629	687	737	764
	2	342	383	423	489	527	570	637	683	749	801	837
	3	379	464	518	570	624	676	731	783	837	889	943
	4	394	535	595	658	718	778	839	901	961	1022	1084
100	0	310	344	377	435	473	504	564	602	658	704	726
	1	337	375	410	473	512	550	616	660	728	768	805
	2	358	400	441	512	556	604	672	726	793	843	880
	3	396	502	558	612	668	724	778	835	891	945	1001
	4	412	577	641	706	768	832	895	959	1024	1086	1151
110	0	325	358	389	452	489	525	587	624	689	726	762
	1	352	389	429	498	537	581	647	693	756	808	841
	2	377	423	464	537	585	633	710	762	835	884	928
	3	414	518	579	637	696	756	814	874	933	992	1051
	4	431	596	665	733	800	869	936	1004	1073	1140	1209
120	0	340	375	410	475	508	548	614	652	716	762	791
	1	371	406	446	516	562	606	674	726	793	841	878
	2	396	441	491	564	612	664	745	801	874	930	972
	3	431	535	600	662	724	787	849	914	976	1038	1101
	4	448	616	689	760	832	905	978	1049	1122	1194	1267
130	0	352	387	423	491	529	570	639	685	745	789	824
	1	383	425	464	539	585	633	708	753	824	876	914
	2	410	458	510	591	641	699	783	837	914	974	1020
	3	471	558	623	689	753	819	884	950	1016	1080	1146
	4	491	642	717	791	867	942	1018	1091	1167	1242	1318
140	0	364	404	439	508	550	593	662	710	776	818	853
	1	398	441	489	562	608	658	739	789	860	912	953
	2	429	479	533	614	670	731	816	874	953	1018	1061
	3	489	581	647	716	783	851	920	986	1055	1122	1190
	4	508	668	745	822	901	978	1057	1134	1213	1290	1369
150	0	377	416	456	527	572	614	691	735	801	849	887
	1	410	456	504	585	635	683	766	818	893	949	988
	2	446	502	556	641	701	762	847	912	995	1057	1111
	3	504	603	673	745	816	889	960	1031	1103	1174	1245
	4	525	693	775	856	940	1021	1104	1185	1268	1349	1433
160	0	387	429	475	548	591	637	716	762	828	878	918
	1	429	475	523	606	658	714	797	847	924	980	1028
	2	466	523	579	670	733	793	884	951	1034	1103	1155
	3	520	624	699	774	849	926	1001	1076	1151	1226	1300
	4	543	718	805	891	978	1063	1151	1236	1323	1409	1496
170	0	404	446	489	568	612	658	739	789	855	907	947
	1	444	496	541	629	681	739	822	880	957	1020	1063
	2	489	541	602	699	762	822	920	984	1076	1142	1201
	3	537	641	720	799	877	957	1036	1114	1193	1272	1351
	4	560	738	828	919	1010	1100	1191	1282	1372	1463	1554
180	0	416	460	506	585	635	685	764	816	887	936	980
	1	456	510	562	649	708	764	855	912	991	1051	1103
	2	500	562	624	726	791	855	955	1026	1115	1188	1248
	3	556	658	741	824	905	988	1072	1153	1236	1319	1402
	4	579	758	851	947	1043	1136	1232	1328	1421	1517	1612
bracket qty		8	8	8	10	10	10	12	12	14	14	14

1 vertical blinds rectangular  
2 vertical blinds special shapes  
3 roof blinds special shapes  
4 accessories motorised  
5 accessories  
6 material properties

# 3 Roof blinds for rectangular windows

1 vertical blinds  
rectangular2 vertical blinds  
special shapes3 roof blinds  
rectangular4 accessories  
motorised


5 accessories

6 material properties

## Prices PL 11

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
190	0	427	477	523	604	652	708	789	841	912	970	1011
	1	473	527	583	672	733	791	882	945	1026	1088	1140
	2	516	583	647	749	818	884	988	1061	1159	1232	1290
	3	572	679	765	850	934	1020	1105	1189	1274	1360	1445
	4	597	782	878	977	1075	1172	1270	1368	1465	1564	1661
200	0	441	493	543	635	689	741	830	887	968	1020	1070
	1	493	545	606	710	768	828	934	995	1084	1151	1205
	2	539	608	674	791	860	934	1047	1120	1221	1298	1365
	3	589	699	789	876	964	1051	1138	1226	1313	1400	1488
	4	614	805	905	1007	1107	1207	1309	1409	1508	1610	1710
210	0	458	506	552	643	701	749	839	895	972	1022	1074
	1	502	562	618	722	783	843	945	1007	1090	1161	1217
	2	550	624	695	808	878	951	1061	1136	1236	1319	1384
	3	606	726	818	909	1000	1091	1183	1273	1365	1455	1547
	4	633	836	940	1046	1150	1255	1360	1465	1569	1674	1779
220	0	471	520	575	662	718	776	864	922	997	1053	1103
	1	520	581	639	743	808	870	972	1040	1126	1194	1255
	2	570	645	720	835	907	980	1095	1178	1278	1359	1429
	3	624	753	847	943	1036	1132	1228	1321	1417	1511	1606
	4	652	866	974	1084	1192	1303	1411	1521	1629	1737	1848
230	0	485	535	587	685	739	795	889	945	1022	1084	1136
	1	535	600	660	766	832	897	1003	1068	1161	1232	1288
	2	595	668	743	860	939	1018	1132	1217	1321	1400	1473
	3	641	775	871	968	1062	1159	1256	1351	1447	1543	1640
	4	670	891	1001	1112	1222	1334	1443	1554	1664	1775	1886
240	0	496	550	606	706	762	818	914	976	1051	1117	1169
	1	548	614	681	791	857	922	1030	1103	1194	1265	1328
	2	612	687	766	887	966	1047	1172	1255	1359	1446	1521
	3	658	797	895	993	1088	1186	1284	1382	1477	1575	1673
	4	687	916	1028	1140	1253	1365	1475	1588	1700	1812	1924
250	0	510	568	620	722	783	841	939	1001	1080	1147	1201
	1	568	635	701	814	880	951	1059	1132	1228	1298	1363
	2	629	714	793	914	997	1082	1209	1290	1396	1486	1563
	3	672	816	918	1021	1122	1225	1326	1429	1530	1633	1735
	4	704	938	1055	1173	1290	1409	1525	1643	1760	1879	1996
260	0	523	581	639	743	803	864	968	1024	1111	1174	1228
	1	581	649	722	837	907	976	1090	1165	1259	1336	1400
	2	647	733	816	945	1026	1113	1244	1332	1438	1529	1608
	3	691	835	941	1049	1155	1263	1369	1477	1583	1692	1798
	4	722	959	1082	1205	1328	1452	1575	1698	1820	1945	2068
270	0	535	595	656	764	824	887	988	1053	1138	1205	1265
	1	602	670	743	860	930	1005	1120	1196	1292	1367	1436
	2	670	753	839	972	1057	1144	1278	1367	1477	1569	1654
	3	708	852	961	1072	1181	1291	1400	1510	1619	1729	1838
	4	739	980	1106	1232	1358	1485	1610	1736	1862	1989	2115
280	0	552	614	676	785	845	909	1013	1080	1167	1232	1292
	1	616	687	762	882	957	1030	1153	1230	1328	1402	1473
	2	687	774	862	997	1088	1180	1317	1404	1523	1612	1700
	3	724	870	982	1095	1207	1319	1432	1542	1654	1766	1879
	4	758	1001	1130	1259	1388	1517	1646	1775	1904	2033	2162
290	0	568	629	693	803	870	930	1043	1109	1194	1265	1321
	1	633	710	785	907	980	1057	1182	1263	1359	1438	1508
	2	714	801	887	1026	1117	1213	1350	1446	1560	1658	1746
	3	743	890	1005	1122	1237	1354	1469	1584	1700	1816	1932
	4	776	1023	1157	1290	1423	1556	1689	1823	1956	2089	2222
bracket qty		8	8	8	10	10	10	12	12	14	14	14

## 3 Roof blinds for rectangular windows




### Prices PL 11

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
300	0	579	643	712	824	889	951	1070	1134	1221	1292	1350
	1	649	728	805	930	1011	1086	1213	1290	1392	1473	1548
	2	731	820	912	1053	1151	1248	1388	1484	1600	1700	1789
	3	760	909	1028	1149	1267	1388	1506	1627	1746	1866	1985
	4	793	1045	1184	1321	1459	1596	1733	1870	2008	2145	2282
310	0	595	660	726	843	912	980	1090	1161	1246	1317	1384
	1	664	745	822	955	1034	1113	1244	1325	1427	1506	1583
	2	749	843	939	1084	1182	1278	1425	1523	1642	1744	1835
	3	776	929	1051	1173	1294	1417	1539	1661	1782	1905	2026
	4	812	1068	1209	1349	1490	1629	1770	1910	2050	2190	2330
320	0	610	679	745	864	934	1003	1120	1190	1280	1348	1415
	1	681	764	843	976	1059	1140	1271	1357	1461	1544	1625
	2	766	866	961	1113	1213	1315	1461	1560	1681	1781	1877
	3	793	949	1074	1196	1321	1446	1571	1696	1818	1943	2068
	4	830	1090	1234	1377	1521	1662	1806	1949	2093	2234	2378
330	0	624	695	764	882	951	1022	1147	1217	1307	1380	1444
	1	704	785	866	1005	1086	1167	1303	1388	1494	1575	1660
	2	791	887	984	1140	1246	1342	1496	1598	1721	1823	1920
	3	812	967	1095	1220	1347	1474	1601	1728	1855	1982	2109
	4	847	1111	1258	1403	1550	1695	1841	1987	2134	2278	2425
340	0	639	712	783	907	978	1049	1172	1240	1336	1409	1477
	1	726	805	884	1026	1111	1196	1336	1419	1527	1612	1698
	2	812	912	1016	1172	1273	1377	1533	1637	1762	1868	1968
	3	826	984	1115	1244	1373	1502	1631	1760	1891	2020	2149
	4	864	1132	1282	1429	1579	1727	1877	2024	2174	2322	2472
350	0	656	726	797	926	1001	1074	1199	1271	1365	1438	1506
	1	739	822	909	1049	1136	1228	1365	1454	1560	1648	1733
	2	832	936	1040	1201	1305	1409	1569	1677	1802	1910	2010
	3	843	1009	1143	1275	1408	1540	1672	1804	1938	2071	2203
	4	882	1159	1314	1465	1617	1770	1924	2073	2228	2380	2531
bracket qty		8	8	8	10	10	10	12	12	14	14	14



# 3 Roof blinds

for rectangular windows



1 vertical blinds  
rectangular

2 vertical blinds  
special shapes











3 roof blinds  
rectangular

4 accessories  
motorised


5 accessories

6 material properties

## Prices optional accessories PL 11

	Art. no.	Article	Price
		operating handle (optional, included in blind price, not at operating rod)	
	3031 01	white	0,00 Piece
	3031 03	grey	0,00 Piece
	3031 06	black	0,00 Piece
		bracket, short	
	2201 01	white	6,00 Piece
	2201 03	grey	6,00 Piece
	2201 06	black	6,00 Piece
		bracket, long	
	2202 01	white	8,00 Piece
	2202 03	grey	8,00 Piece
	2202 06	black	8,00 Piece
		cover for bracket	
	2299 01	white	2,00 Piece
	2299 03	grey	2,00 Piece
	2299 06	black	2,00 Piece
		mounting profile	
	1003 01	white	65,00 Meter
	1003 02	silver	65,00 Meter
	1003 05	black-brown	65,00 Meter
	1003 07	brass	65,00 Meter
		holder for mounting profile	
	2217 01	white	7,00 Piece
	2217 02	silber	7,00 Piece
	2217 06	schwarz	7,00 Piece
		bracket for mounting profile	
	2218 01	white	3,00 Piece
	2218 03	grey	3,00 Piece
	2218 06	black	3,00 Piece
		pin for bracket mounting profile	
	2219 99	silver	3,00 Piece
		operating rod ( only in combination with operating handle 3032 ..)	
	3345 03	125cm	75,00 Piece
	3346 03	150cm	80,00 Piece
	3347 03	200cm	92,00 Piece
	3348 03	250cm	102,00 Piece
		clamp for operating rod / crank	
	2924 03	grey	5,00 Piece

## 3 Roof blinds for rectangular windows



### Prices PLK 13<sup>1</sup>, PLE 12<sup>2</sup>

**Surcharge PLE 12** = Option 1) motor and time stop for one blind (till width 900 mm) **546,00**

Option 2) motor and spindle stop for one blind (as of width 901 mm) **496,00**

for calculating electric control components please have a look at our file „accessories for motorised blinds“

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
80	0	404	427	456	483	506	539	566	589	633	658	681
	1	435	462	496	531	560	597	631	660	710	739	768
	2	452	481	516	552	581	622	658	687	739	770	799
	3	475	510	552	593	631	676	720	756	814	851	889
	4	491	531	575	618	656	704	747	787	847	884	924
90	0	412	435	464	493	518	552	581	606	652	676	699
	1	446	477	512	548	579	618	654	685	737	768	799
	2	462	496	533	570	602	645	683	714	768	801	832
	3	491	531	575	620	660	710	753	793	855	895	934
	4	508	550	597	643	685	737	785	826	889	930	972
100	0	419	446	475	506	531	566	597	622	670	695	720
	1	456	489	527	564	597	639	679	710	766	797	830
	2	475	508	548	587	622	666	706	741	797	832	866
	3	506	550	597	645	687	741	789	830	895	939	980
	4	527	570	620	670	714	770	820	866	932	976	1022
110	0	427	454	485	516	543	581	612	639	687	714	741
	1	466	502	541	581	616	662	701	735	793	826	862
	2	485	523	564	606	641	689	731	768	826	864	899
	3	523	568	618	670	716	772	822	868	936	982	1028
	4	543	591	643	697	745	803	855	903	976	1022	1070
120	0	433	462	496	527	556	593	627	654	706	733	760
	1	479	514	558	600	635	683	724	762	820	857	893
	2	498	535	581	624	662	712	756	795	855	895	932
	3	539	587	641	695	743	803	857	905	978	1026	1074
	4	560	610	668	724	774	837	893	943	1018	1070	1120
130	0	450	479	516	552	583	624	660	691	745	774	805
	1	504	543	591	637	679	731	778	818	882	924	966
	2	523	566	616	666	708	764	812	855	924	966	1009
	3	575	631	693	753	810	876	939	993	1072	1128	1184
	4	597	658	722	785	843	914	978	1036	1117	1176	1234
140	0	456	487	527	564	595	639	674	708	762	793	826
	1	514	556	606	656	697	753	801	845	912	953	997
	2	535	581	633	683	728	787	837	882	953	997	1043
	3	591	649	716	778	839	909	972	1030	1113	1172	1230
	4	616	676	745	812	874	947	1013	1076	1161	1221	1284
150	0	462	496	535	572	606	652	689	720	778	810	843
	1	523	568	620	670	714	772	822	866	934	980	1024
	2	545	593	647	699	747	805	860	905	978	1024	1072
	3	606	666	735	801	862	936	1003	1063	1149	1209	1271
	4	631	693	766	835	899	976	1045	1109	1199	1261	1325
160	0	471	504	545	585	618	664	704	737	795	828	864
	1	535	581	635	687	733	793	845	891	961	1009	1055
	2	558	606	664	718	766	828	882	932	1007	1055	1105
	3	622	685	758	826	891	968	1036	1101	1188	1253	1317
	4	647	714	789	862	928	1009	1080	1149	1240	1307	1375
170	0	477	512	556	595	631	679	718	753	814	849	882
	1	545	593	649	704	753	814	868	916	991	1038	1086
	2	568	620	679	735	787	851	907	959	1036	1086	1138
	3	637	706	780	851	918	999	1072	1138	1230	1296	1363
	4	664	735	812	889	957	1043	1117	1188	1284	1352	1423
180	0	485	520	566	606	643	693	733	770	830	868	903
	1	556	606	666	720	772	835	891	941	1018	1068	1117
	2	581	633	695	753	808	874	932	986	1065	1117	1172
	3	654	724	801	876	947	1030	1105	1176	1271	1340	1411
	4	681	753	837	914	988	1076	1153	1228	1325	1400	1473
bracket qty		8	8	8	10	10	10	12	12	14	14	14

# 3 Roof blinds for rectangular windows

1 vertical blinds  
rectangular2 vertical blinds  
special shapes3 roof blinds  
rectangular4 accessories  
motorised

5 accessories

6 material properties

## Prices PLK 13<sup>1</sup>, PLE 12<sup>2</sup>


**Surcharge PLE 12** = Option 1) motor and time stop for one blind (till width 900 mm) **546,00**

Option 2) motor and spindle stop for one blind (as of width 901 mm) **496,00**

for calculating electric control components please have a look at our file „accessories for motorised blinds“

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
190	0	491	529	575	618	656	706	749	787	849	887	924
	1	566	620	681	739	791	857	914	968	1045	1097	1149
	2	591	647	712	772	826	897	957	1013	1095	1149	1205
	3	670	743	824	903	976	1061	1140	1213	1311	1384	1456
	4	697	774	860	941	1018	1107	1190	1265	1369	1446	1521
200	0	500	537	585	629	668	720	764	801	866	905	943
	1	579	633	695	756	810	878	939	993	1072	1126	1180
	2	604	660	728	791	847	920	982	1038	1124	1180	1238
	3	687	762	847	928	1003	1092	1174	1251	1352	1427	1504
	4	714	793	882	968	1047	1140	1226	1305	1411	1492	1571
210	0	506	545	595	639	679	735	778	818	884	924	964
	1	589	645	712	772	828	899	961	1018	1099	1155	1211
	2	614	674	743	808	868	943	1007	1065	1153	1211	1271
	3	701	780	870	953	1032	1126	1209	1288	1392	1471	1550
	4	731	814	905	995	1076	1174	1261	1344	1454	1538	1619
220	0	514	554	606	652	691	747	793	835	901	943	984
	1	600	658	726	789	847	920	984	1043	1128	1186	1244
	2	627	689	760	826	889	966	1032	1092	1182	1242	1305
	3	718	799	891	978	1059	1157	1244	1325	1434	1515	1598
	4	747	835	930	1020	1107	1207	1298	1384	1498	1583	1669
230	0	520	562	614	662	704	762	810	851	920	961	1003
	1	612	670	741	808	866	943	1007	1068	1155	1215	1276
	2	639	701	776	845	907	986	1055	1120	1211	1273	1338
	3	735	818	914	1003	1088	1188	1278	1363	1475	1558	1644
	4	764	853	953	1047	1136	1240	1334	1423	1540	1629	1716
240	0	529	570	624	672	716	776	824	868	939	980	1024
	1	622	685	758	824	887	964	1030	1092	1182	1244	1307
	2	649	716	791	862	928	1009	1080	1147	1240	1305	1371
	3	749	837	936	1028	1115	1219	1313	1400	1515	1602	1689
	4	783	874	976	1074	1165	1273	1371	1463	1583	1675	1766
250	0	535	579	633	683	726	787	837	880	953	997	1043
	1	631	695	770	839	903	982	1051	1115	1207	1269	1334
	2	660	726	805	878	945	1030	1103	1169	1265	1332	1400
	3	764	853	955	1051	1140	1246	1342	1432	1550	1640	1731
	4	797	891	997	1097	1190	1303	1402	1496	1621	1714	1808
260	0	541	587	643	695	739	801	851	897	972	1016	1061
	1	643	708	785	855	922	1003	1074	1140	1234	1298	1365
	2	672	741	822	897	966	1053	1126	1196	1294	1363	1434
	3	780	874	978	1076	1169	1278	1377	1469	1592	1683	1777
	4	814	912	1020	1124	1221	1336	1438	1536	1662	1760	1858
270	0	550	595	654	706	751	816	868	914	988	1034	1082
	1	654	720	801	872	941	1024	1097	1165	1261	1328	1396
	2	683	756	839	916	986	1076	1151	1224	1323	1394	1467
	3	797	893	1001	1101	1196	1311	1411	1506	1631	1727	1825
	4	830	930	1043	1149	1251	1369	1475	1575	1706	1806	1906
280	0	556	604	664	716	764	828	882	930	1007	1055	1103
	1	664	735	816	891	959	1047	1122	1190	1288	1359	1427
	2	695	768	853	932	1007	1097	1176	1248	1352	1425	1500
	3	812	912	1022	1126	1226	1342	1446	1544	1673	1771	1870
	4	847	951	1068	1176	1280	1402	1511	1615	1748	1852	1956
290	0	564	612	674	728	776	843	897	947	1024	1074	1122
	1	676	747	830	907	978	1068	1144	1215	1315	1388	1459
	2	706	783	870	951	1026	1120	1201	1276	1382	1456	1533
	3	828	930	1045	1151	1253	1373	1479	1581	1712	1814	1916
	4	864	970	1090	1203	1309	1434	1546	1654	1791	1897	2004
bracket qty		8	8	8	10	10	10	12	12	14	14	14

## 3 Roof blinds for rectangular windows



### Prices PLK 13<sup>1</sup>, PLE 12<sup>2</sup>

**Surcharge PLE 12** = Option 1) motor and time stop for one blind (till width 900 mm) **546,00**

Option 2) motor and spindle stop for one blind (as of width 901 mm) **496,00**

for calculating electric control components please have a look at our file „accessories for motorised blinds“


height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
300	0	570	620	683	739	789	857	912	961	1043	1092	1142
	1	687	760	845	924	997	1088	1167	1240	1344	1417	1490
	2	718	795	887	970	1047	1142	1226	1303	1411	1488	1567
	3	845	949	1068	1178	1282	1404	1515	1619	1754	1858	1964
	4	880	991	1113	1230	1340	1467	1583	1694	1833	1943	2053
310	0	579	629	693	749	801	870	926	978	1059	1111	1163
	1	697	772	862	941	1016	1111	1190	1265	1371	1446	1521
	2	731	810	903	986	1068	1165	1251	1330	1440	1519	1600
	3	860	968	1088	1203	1309	1436	1548	1656	1796	1902	2010
	4	897	1011	1138	1255	1369	1500	1619	1733	1877	1989	2103
320	0	585	637	704	762	814	884	943	995	1078	1130	1182
	1	708	785	876	959	1036	1132	1213	1290	1398	1475	1552
	2	741	822	918	1005	1086	1188	1276	1357	1469	1550	1633
	3	876	986	1111	1228	1338	1467	1583	1694	1835	1945	2058
	4	914	1030	1161	1282	1398	1533	1656	1771	1918	2035	2151
330	0	593	645	714	772	826	899	957	1011	1095	1149	1203
	1	720	799	891	976	1055	1153	1236	1315	1425	1504	1583
	2	753	837	934	1024	1107	1211	1298	1384	1498	1581	1667
	3	893	1005	1134	1253	1367	1498	1619	1731	1877	1989	2103
	4	930	1051	1184	1309	1427	1567	1692	1810	1962	2080	2201
340	0	600	654	722	783	837	912	970	1026	1111	1165	1219
	1	728	810	905	991	1072	1172	1257	1338	1450	1531	1610
	2	764	849	949	1038	1124	1230	1321	1407	1523	1608	1694
	3	907	1022	1153	1273	1390	1527	1648	1764	1912	2026	2143
	4	947	1068	1205	1332	1454	1596	1723	1845	1999	2120	2243
350	0	606	662	733	793	849	924	986	1040	1128	1184	1240
	1	741	822	920	1007	1090	1192	1280	1363	1477	1560	1642
	2	774	862	966	1057	1144	1253	1346	1434	1552	1640	1727
	3	922	1043	1176	1300	1419	1558	1681	1802	1952	2070	2191
	4	964	1088	1228	1359	1484	1629	1758	1883	2041	2166	2291
bracket qty		8	8	8	10	10	10	12	12	14	14	14

### <sup>2</sup> calculation PLE 12

**example:**

W 80 x H 120 / PG 2	=	624,00
+ PLE 12 Surcharge Motor (e.g. with time stop)	=	546,00
+ external radio receiver	=	316,00
+ radio remote control (1 channel)	=	166,00
+ power supply (e.g. internal)	=	236,00
<b>= total Price</b>	<b>=</b>	<b>1888,00</b>











# 3 Roof blinds for rectangular windows

1 vertical blinds  
rectangular2 vertical blinds  
special shapes3 roof blinds  
rectangular4 accessories  
motorised

5 accessories


6 material properties

## Prices optional accessories PLK 13, PLE 12

	Art. no.	Article	Price
	2201 01	bracket, short white	6,00 Piece
	2201 03	grey	6,00 Piece
	2201 06	black	6,00 Piece
	2202 01	bracket, long white	8,00 Piece
	2202 03	grey	8,00 Piece
	2202 06	black	8,00 Piece
	2299 01	cover for bracket white	2,00 Piece
	2299 03	grey	2,00 Piece
	2299 06	black	2,00 Piece
	1003 01	mounting profile white	65,00 Meter
	1003 02	silver	65,00 Meter
	1003 05	black-brown	65,00 Meter
	1003 07	brass	65,00 Meter
	2217 01	holder for mounting profile white	7,00 Piece
	2217 02	silber	7,00 Piece
	2217 06	schwarz	7,00 Piece
	2218 01	bracket for mounting profile white	3,00 Piece
	2218 03	grey	3,00 Piece
	2218 06	black	3,00 Piece
	2219 99	pin for bracket mounting profile silver	3,00 Piece
		operating rod for electric crank (without battery) motor)	
	3365 03	125cm	75,00 Piece
	3366 03	150cm	80,00 Piece
	3367 03	200cm	92,00 Piece
	3368 03	250cm	102,00 Piece
		manual crank	
	3385 03	125cm	128,00 Piece
	3386 03	150cm	133,00 Piece
	3387 03	200cm	141,00 Piece
	3388 03	250cm	152,00 Piece
	2924 03	clamp for operating rod / crank grey	5,00 Piece

# SIMPLY PLEAT

## 3 Roof blinds for rectangular windows




### Prices PL 11

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
80	0	248	275	294	340	362	385	431	456	502	523	543
	1	271	290	312	360	383	412	464	489	537	566	585
	2	285	312	340	394	423	456	508	543	595	633	654
	3	292	325	358	412	444	479	537	572	629	668	695
90	0	260	283	304	354	375	402	444	473	514	541	562
	1	279	300	323	375	404	425	479	506	556	585	608
	2	296	327	358	412	444	479	535	572	624	664	689
	3	304	340	375	431	468	504	562	600	656	704	728
100	0	271	290	312	362	383	412	458	485	531	558	577
	1	285	310	335	385	414	444	498	523	577	608	631
	2	306	340	373	431	468	500	558	595	652	695	720
	3	323	358	392	452	489	525	589	631	695	733	768
110	0	279	300	323	373	400	421	473	500	545	575	591
	1	292	319	346	404	427	458	512	543	595	629	649
	2	323	356	385	448	485	518	583	620	683	720	756
	3	335	373	410	475	512	554	618	662	722	770	803
120	0	285	306	329	381	410	433	487	512	562	587	608
	1	300	329	360	414	444	475	531	564	616	645	676
	2	335	371	406	471	504	543	608	645	710	756	783
	3	354	387	425	493	537	579	643	693	758	803	839
130	0	290	315	340	392	419	446	500	525	577	604	624
	1	310	340	371	425	458	489	548	583	635	672	697
	2	348	383	419	487	523	564	633	679	737	780	816
	3	367	406	444	514	558	604	676	720	787	837	872
140	0	300	325	348	406	431	458	512	541	589	620	641
	1	323	354	381	441	475	506	568	600	654	693	718
	2	362	402	435	504	545	587	656	704	768	810	845
	3	379	421	466	537	581	629	706	753	820	870	909
150	0	304	333	360	414	441	473	523	556	606	635	656
	1	333	362	392	456	489	518	585	618	676	712	739
	2	373	412	452	520	566	608	685	728	795	841	878
	3	392	435	481	558	606	652	731	780	853	905	943
160	0	312	340	369	425	454	481	541	572	620	649	676
	1	340	373	406	471	504	539	600	637	697	731	764
	2	383	425	471	543	585	631	710	756	820	870	909
	3	410	454	500	579	629	681	762	810	882	936	982
170	0	323	348	377	435	468	493	554	585	635	668	693
	1	354	383	416	485	516	554	620	656	714	756	783
	2	402	441	485	562	606	652	731	780	847	899	939
	3	423	473	516	600	649	706	785	841	914	974	1016
180	0	329	358	383	446	477	506	568	597	649	685	710
	1	360	394	427	498	535	572	637	679	733	774	805
	2	412	456	502	581	629	679	758	808	878	928	972
	3	435	487	537	620	676	728	816	870	945	1003	1053
190	0	340	369	394	458	489	516	583	612	668	699	722
	1	375	408	437	510	548	585	654	697	756	797	826
	2	423	473	516	597	645	699	780	835	903	959	1001
	3	452	504	556	641	699	756	843	901	980	1038	1088
200	0	344	377	410	471	502	531	587	624	683	714	737
	1	381	419	456	535	575	612	676	710	776	812	839
	2	437	489	539	629	683	733	822	878	957	1011	1059
	3	471	520	579	679	733	791	893	949	1034	1099	1151
210	0	356	383	414	481	510	543	608	641	697	728	758
	1	387	425	466	539	579	616	695	733	795	837	870
	2	454	502	548	637	693	741	830	887	961	1013	1063
	3	479	537	591	689	747	805	901	961	1040	1109	1161
bracket qty		8	8	8	10	10	10	12	12	14	14	14

1 vertical blinds rectangular  
2 vertical blinds special shapes  
3 roof blinds special shapes  
4 accessories motorised  
5 accessories  
6 material properties

# 3 Roof blinds

for rectangular windows



1 vertical blinds rectangular

2 vertical blinds special shapes

3 roof blinds rectangular

4 accessories motorised

5 accessories


6 material properties

## Prices PL 11

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
220	0	362	392	421	491	520	556	622	654	712	747	772
	1	404	437	477	554	591	633	712	753	812	855	893
	2	466	514	568	656	712	768	855	912	986	1043	1092
	3	498	554	610	710	770	830	928	993	1074	1140	1199
230	0	373	404	431	502	537	568	637	672	722	764	787
	1	410	448	489	568	608	645	728	772	835	874	912
	2	479	531	583	679	731	787	880	936	1013	1074	1126
	3	510	572	631	731	795	855	957	1020	1109	1176	1230
240	0	381	412	441	512	545	581	649	687	739	776	805
	1	421	464	502	581	622	668	747	787	853	897	934
	2	491	545	600	697	756	810	905	968	1040	1107	1159
	3	523	587	649	756	818	880	984	1053	1140	1207	1267
250	0	392	419	454	523	558	591	668	704	758	791	820
	1	427	473	512	595	637	685	766	808	872	916	957
	2	506	562	616	716	774	835	930	991	1070	1134	1190
	3	543	606	670	776	841	907	1011	1080	1172	1240	1300
260	0	400	425	464	537	572	606	681	716	770	805	837
	1	441	485	523	610	652	699	780	828	893	936	978
	2	516	577	633	735	797	855	957	1016	1101	1163	1215
	3	554	620	689	799	866	932	1040	1113	1203	1276	1336
270	0	404	435	473	548	583	616	695	728	783	820	853
	1	448	493	539	624	670	714	801	845	912	959	997
	2	531	589	649	758	816	878	980	1043	1128	1194	1253
	3	575	639	710	820	889	959	1070	1142	1234	1305	1371
280	0	412	446	481	558	591	631	710	741	801	837	868
	1	464	506	552	639	687	731	818	866	930	978	1018
	2	548	608	670	776	839	901	1003	1070	1157	1219	1280
	3	589	656	726	843	914	984	1101	1174	1267	1338	1407
290	0	423	456	489	572	606	641	720	762	812	853	882
	1	477	516	562	652	704	749	837	882	949	997	1040
	2	562	622	687	797	862	922	1032	1099	1184	1253	1309
	3	604	679	749	866	936	1009	1128	1205	1296	1373	1440
300	0	427	466	500	583	618	654	735	774	828	868	901
	1	481	525	577	670	716	766	855	903	972	1016	1063
	2	575	637	706	816	880	943	1059	1124	1209	1280	1338
	3	620	695	768	889	966	1036	1159	1232	1330	1407	1477
310	0	437	475	508	591	631	670	753	785	843	880	914
	1	493	541	587	685	731	778	872	922	991	1038	1082
	2	589	654	720	837	903	972	1080	1151	1236	1305	1371
	3	635	712	785	912	986	1063	1188	1265	1363	1438	1511
320	0	448	485	516	606	641	683	766	803	860	897	932
	1	506	554	600	699	749	797	893	939	1009	1061	1107
	2	604	672	737	855	926	993	1109	1178	1267	1336	1402
	3	649	728	805	932	1011	1088	1213	1294	1394	1473	1552
330	0	454	491	525	616	654	695	778	816	872	912	945
	1	512	564	612	714	766	810	905	953	1024	1082	1134
	2	620	689	758	874	943	1013	1134	1205	1294	1367	1429
	3	672	749	826	959	1036	1115	1244	1325	1425	1504	1585
340	0	466	502	539	629	670	708	791	830	889	928	968
	1	523	577	624	728	778	828	928	980	1049	1101	1151
	2	633	706	774	899	970	1038	1161	1230	1323	1394	1463
	3	693	768	845	980	1061	1142	1276	1355	1459	1540	1621
350	0	475	510	548	639	681	718	808	845	903	941	980
	1	537	587	639	741	797	845	945	997	1068	1122	1172
	2	649	720	791	916	991	1063	1188	1259	1350	1423	1494
	3	706	785	868	1001	1084	1172	1303	1388	1490	1573	1654
bracket qty		8	8	8	10	10	10	12	12	14	14	14

# SIMPLY PLEAT

## 3 Roof blinds for rectangular windows




### Prices PL 11

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
360	0	485	518	558	652	695	731	820	862	916	959	995
	1	548	600	652	762	810	864	968	1016	1088	1142	1194
	2	668	737	810	941	1011	1082	1209	1286	1375	1454	1523
	3	718	803	889	1028	1113	1199	1332	1417	1521	1606	1689
370	0	491	531	572	664	708	747	837	874	932	974	1009
	1	562	612	668	774	828	880	984	1036	1109	1161	1211
	2	681	756	828	959	1034	1111	1234	1311	1404	1479	1556
	3	737	822	907	1049	1136	1221	1363	1442	1556	1637	1723
380	0	498	539	581	679	716	762	847	889	945	986	1028
	1	575	624	681	787	843	897	1001	1057	1128	1180	1234
	2	697	772	845	980	1059	1132	1263	1336	1432	1506	1588
	3	756	841	928	1074	1163	1253	1392	1477	1588	1673	1762
390	0	506	548	589	689	728	772	866	903	966	1001	1040
	1	583	637	695	805	862	912	1020	1074	1147	1203	1257
	2	708	785	866	999	1078	1159	1288	1367	1463	1538	1617
	3	772	862	949	1099	1192	1278	1421	1506	1617	1704	1791
400	0	510	554	595	699	737	780	874	916	978	1016	1061
	1	589	643	704	816	872	928	1036	1090	1169	1221	1278
	2	718	799	878	1013	1099	1176	1311	1390	1490	1567	1644
	3	780	872	968	1115	1207	1298	1442	1536	1650	1737	1827
bracket qty		8	8	8	10	10	10	12	12	14	14	14



# 3 Roof blinds

for rectangular windows



1 vertical blinds  
rectangular

2 vertical blinds  
special shapes











3 roof blinds  
rectangular

4 accessories  
motorised

5 accessories


6 material properties

## Prices optional accessories PL 11

	Art. no.	Article	Price
		operating handle (optional, included in blind price, not at operating rod)	
	3031 01	white	0,00 Piece
	3031 03	grey	0,00 Piece
	3031 06	black	0,00 Piece
		bracket, short	
	2201 01	white	6,00 Piece
	2201 03	grey	6,00 Piece
	2201 06	black	6,00 Piece
		bracket, long	
	2202 01	white	8,00 Piece
	2202 03	grey	8,00 Piece
	2202 06	black	8,00 Piece
		cover for bracket	
	2299 01	white	2,00 Piece
	2299 03	grey	2,00 Piece
	2299 06	black	2,00 Piece
		mounting profile	
	1003 01	white	65,00 Meter
	1003 02	silver	65,00 Meter
	1003 05	black-brown	65,00 Meter
	1003 07	brass	65,00 Meter
		holder for mounting profile	
	2217 01	white	7,00 Piece
	2217 02	silber	7,00 Piece
	2217 06	schwarz	7,00 Piece
		bracket for mounting profile	
	2218 01	white	3,00 Piece
	2218 03	grey	3,00 Piece
	2218 06	black	3,00 Piece
		pin for bracket mounting profile	
	2219 99	silver	3,00 Piece
		operating rod ( only in combination with operating handle 3032 ..)	
	3345 03	125cm	75,00 Piece
	3346 03	150cm	80,00 Piece
	3347 03	200cm	92,00 Piece
	3348 03	250cm	102,00 Piece
		clamp for operating rod / crank	
	2924 03	grey	5,00 Piece

# SIMPLY PLEAT

## 3 Roof blinds for rectangular windows



### Prices PLK 13<sup>1</sup>, PLE 12<sup>2</sup>


**Surcharge PLE 12** = Option 1) motor and time stop for one blind (till width 900 mm) **546,00**

Option 2) motor and spindle stop for one blind (as of width 901 mm) **496,00**

for calculating electric control components please have a look at our file „accessories for motorised blinds“

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
80	0	423	450	468	514	537	560	606	631	676	697	718
	1	446	464	487	535	558	587	639	664	712	741	760
	2	460	487	514	568	597	631	683	718	770	808	828
	3	466	500	533	587	618	654	712	747	803	843	870
90	0	435	458	479	529	550	577	618	647	689	716	737
	1	454	475	498	550	579	600	654	681	731	760	783
	2	471	502	533	587	618	654	710	747	799	839	864
	3	479	514	550	606	643	679	737	774	830	878	903
100	0	446	464	487	537	558	587	633	660	706	733	751
	1	460	485	510	560	589	618	672	697	751	783	805
	2	481	514	548	606	643	674	733	770	826	870	895
	3	498	533	566	627	664	699	764	805	870	907	943
110	0	454	475	498	548	575	595	647	674	720	749	766
	1	466	493	520	579	602	633	687	718	770	803	824
	2	498	531	560	622	660	693	758	795	857	895	930
	3	510	548	585	649	687	728	793	837	897	945	978
120	0	460	481	504	556	585	608	662	687	737	762	783
	1	475	504	535	589	618	649	706	739	791	820	851
	2	510	545	581	645	679	718	783	820	884	930	957
	3	529	562	600	668	712	753	818	868	932	978	1013
130	0	464	489	514	566	593	620	674	699	751	778	799
	1	485	514	545	600	633	664	722	758	810	847	872
	2	523	558	593	662	697	739	808	853	912	955	991
	3	541	581	618	689	733	778	851	895	961	1011	1047
140	0	475	500	523	581	606	633	687	716	764	795	816
	1	498	529	556	616	649	681	743	774	828	868	893
	2	537	577	610	679	720	762	830	878	943	984	1020
	3	554	595	641	712	756	803	880	928	995	1045	1084
150	0	479	508	535	589	616	647	697	731	780	810	830
	1	508	537	566	631	664	693	760	793	851	887	914
	2	548	587	627	695	741	783	860	903	970	1016	1053
	3	566	610	656	733	780	826	905	955	1028	1080	1117
160	0	487	514	543	600	629	656	716	747	795	824	851
	1	514	548	581	645	679	714	774	812	872	905	939
	2	558	600	645	718	760	805	884	930	995	1045	1084
	3	585	629	674	753	803	855	936	984	1057	1111	1157
170	0	498	523	552	610	643	668	728	760	810	843	868
	1	529	558	591	660	691	728	795	830	889	930	957
	2	577	616	660	737	780	826	905	955	1022	1074	1113
	3	597	647	691	774	824	880	959	1016	1088	1149	1190
180	0	504	533	558	620	652	681	743	772	824	860	884
	1	535	568	602	672	710	747	812	853	907	949	980
	2	587	631	676	756	803	853	932	982	1053	1103	1147
	3	610	662	712	795	851	903	991	1045	1120	1178	1228
190	0	514	543	568	633	664	691	758	787	843	874	897
	1	550	583	612	685	722	760	828	872	930	972	1001
	2	597	647	691	772	820	874	955	1009	1078	1134	1176
	3	627	679	731	816	874	930	1018	1076	1155	1213	1263
200	0	518	552	585	645	676	706	762	799	857	889	912
	1	556	593	631	710	749	787	851	884	951	986	1013
	2	612	664	714	803	857	907	997	1053	1132	1186	1234
	3	645	695	753	853	907	966	1068	1124	1209	1273	1325
210	0	531	558	589	656	685	718	783	816	872	903	932
	1	562	600	641	714	753	791	870	907	970	1011	1045
	2	629	676	722	812	868	916	1005	1061	1136	1188	1238
	3	654	712	766	864	922	980	1076	1136	1215	1284	1336
bracket qty		8	8	8	10	10	10	12	12	14	14	14

# 3 Roof blinds for rectangular windows

1 vertical blinds  
rectangular2 vertical blinds  
special shapes3 roof blinds  
rectangular4 accessories  
motorised

5 accessories

6 material properties

## Prices PLK 13<sup>1</sup>, PLE 12<sup>2</sup>

**Surcharge PLE 12** = Option 1) motor and time stop for one blind (till width 900 mm) **546,00**


Option 2) motor and spindle stop for one blind (as of width 901 mm) **496,00**

for calculating electric control components please have a look at our file „accessories for motorised blinds“

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
220	0	537	566	595	666	695	731	797	828	887	922	947
	1	579	612	652	728	766	808	887	928	986	1030	1068
	2	641	689	743	830	887	943	1030	1086	1161	1217	1267
	3	672	728	785	884	945	1005	1103	1167	1248	1315	1373
230	0	548	579	606	676	712	743	812	847	897	939	961
	1	585	622	664	743	783	820	903	947	1009	1049	1086
	2	654	706	758	853	905	961	1055	1111	1188	1248	1300
	3	685	747	805	905	970	1030	1132	1194	1284	1350	1404
240	0	556	587	616	687	720	756	824	862	914	951	980
	1	595	639	676	756	797	843	922	961	1028	1072	1109
	2	666	720	774	872	930	984	1080	1142	1215	1282	1334
	3	697	762	824	930	993	1055	1159	1228	1315	1382	1442
250	0	566	593	629	697	733	766	843	878	932	966	995
	1	602	647	687	770	812	860	941	982	1047	1090	1132
	2	681	737	791	891	949	1009	1105	1165	1244	1309	1365
	3	718	780	845	951	1016	1082	1186	1255	1346	1415	1475
260	0	575	600	639	712	747	780	855	891	945	980	1011
	1	616	660	697	785	826	874	955	1003	1068	1111	1153
	2	691	751	808	909	972	1030	1132	1190	1276	1338	1390
	3	728	795	864	974	1040	1107	1215	1288	1377	1450	1511
270	0	579	610	647	722	758	791	870	903	957	995	1028
	1	622	668	714	799	845	889	976	1020	1086	1134	1172
	2	706	764	824	932	991	1053	1155	1217	1303	1369	1427
	3	749	814	884	995	1063	1134	1244	1317	1409	1479	1546
280	0	587	620	656	733	766	805	884	916	976	1011	1043
	1	639	681	726	814	862	905	993	1040	1105	1153	1192
	2	722	783	845	951	1013	1076	1178	1244	1332	1394	1454
	3	764	830	901	1018	1088	1159	1276	1348	1442	1513	1581
290	0	597	631	664	747	780	816	895	936	986	1028	1057
	1	652	691	737	826	878	924	1011	1057	1124	1172	1215
	2	737	797	862	972	1036	1097	1207	1273	1359	1427	1484
	3	778	853	924	1040	1111	1184	1303	1380	1471	1548	1615
300	0	602	641	674	758	793	828	909	949	1003	1043	1076
	1	656	699	751	845	891	941	1030	1078	1147	1190	1238
	2	749	812	880	991	1055	1117	1234	1298	1384	1454	1513
	3	795	870	943	1063	1140	1211	1334	1407	1504	1581	1652
310	0	612	649	683	766	805	845	928	959	1018	1055	1088
	1	668	716	762	860	905	953	1047	1097	1165	1213	1257
	2	764	828	895	1011	1078	1147	1255	1325	1411	1479	1546
	3	810	887	959	1086	1161	1238	1363	1440	1538	1612	1685
320	0	622	660	691	780	816	857	941	978	1034	1072	1107
	1	681	728	774	874	924	972	1068	1113	1184	1236	1282
	2	778	847	912	1030	1101	1167	1284	1352	1442	1511	1577
	3	824	903	980	1107	1186	1263	1388	1469	1569	1648	1727
330	0	629	666	699	791	828	870	953	991	1047	1086	1120
	1	687	739	787	889	941	984	1080	1128	1199	1257	1309
	2	795	864	932	1049	1117	1188	1309	1380	1469	1542	1604
	3	847	924	1001	1134	1211	1290	1419	1500	1600	1679	1760
340	0	641	676	714	803	845	882	966	1005	1063	1103	1142
	1	697	751	799	903	953	1003	1103	1155	1224	1276	1325
	2	808	880	949	1074	1144	1213	1336	1404	1498	1569	1637
	3	868	943	1020	1155	1236	1317	1450	1529	1633	1714	1796
350	0	649	685	722	814	855	893	982	1020	1078	1115	1155
	1	712	762	814	916	972	1020	1120	1172	1242	1296	1346
	2	824	895	966	1090	1165	1238	1363	1434	1525	1598	1669
	3	880	959	1043	1176	1259	1346	1477	1563	1664	1748	1829
bracket qty		8	8	8	10	10	10	12	12	14	14	14

# SIMPLY PLEAT

## 3 Roof blinds for rectangular windows



### Prices PLK 13<sup>1</sup>, PLE 12<sup>2</sup>

**Surcharge PLE 12** = Option 1) motor and time stop for one blind (till width 900 mm) **546,00**

Option 2) motor and spindle stop for one blind (as of width 901 mm) **496,00**

for calculating electric control components please have a look at our file „accessories for motorised blinds“

height cm	price group	width cm										
		50	60	70	80	90	100	110	120	130	140	150
360	0	660	693	733	826	870	905	995	1036	1090	1134	1169
	1	722	774	826	936	984	1038	1142	1190	1263	1317	1369
	2	843	912	984	1115	1186	1257	1384	1461	1550	1629	1698
	3	893	978	1063	1203	1288	1373	1506	1592	1696	1781	1864
370	0	666	706	747	839	882	922	1011	1049	1107	1149	1184
	1	737	787	843	949	1003	1055	1159	1211	1284	1336	1386
	2	855	930	1003	1134	1209	1286	1409	1486	1579	1654	1731
	3	912	997	1082	1224	1311	1396	1538	1617	1731	1812	1897
380	0	672	714	756	853	891	936	1022	1063	1120	1161	1203
	1	749	799	855	961	1018	1072	1176	1232	1303	1355	1409
	2	872	947	1020	1155	1234	1307	1438	1511	1606	1681	1762
	3	930	1016	1103	1248	1338	1427	1567	1652	1762	1848	1937
390	0	681	722	764	864	903	947	1040	1078	1140	1176	1215
	1	758	812	870	980	1036	1086	1194	1248	1321	1377	1432
	2	882	959	1040	1174	1253	1334	1463	1542	1637	1712	1791
	3	947	1036	1124	1273	1367	1452	1596	1681	1791	1879	1966
400	0	685	728	770	874	912	955	1049	1090	1153	1190	1236
	1	764	818	878	991	1047	1103	1211	1265	1344	1396	1452
	2	893	974	1053	1188	1273	1350	1486	1565	1664	1741	1818
	3	955	1047	1142	1290	1382	1473	1617	1710	1825	1912	2001
bracket qty		8	8	8	10	10	10	12	12	14	14	14


### <sup>2</sup> calculation PLE 12

**example:**

W 80 x H 120 / PG 2	=	645,00
+ PLE 12 Surcharge Motor (e.g. with time stop)	=	546,00
+ external radio receiver	=	316,00
+ radio remote control (1 channel)	=	166,00
+ power supply (e.g. internal)	=	236,00
<b>= total Price</b>	<b>=</b>	<b>1909,00</b>

1 vertical blinds rectangular  
2 vertical blinds special shapes  
3 roof blinds special shapes  
4 accessories motorised  
5 accessories  
6 material properties











# 3 Roof blinds for rectangular windows

1 vertical blinds  
rectangular2 vertical blinds  
special shapes3 roof blinds  
rectangular4 accessories  
motorised

5 accessories

6 material properties

## Prices optional accessories PLK 13, PLE 12

	Art. no.	Article	Price
	2201 01	bracket, short white	6,00 Piece
	2201 03	grey	6,00 Piece
	2201 06	black	6,00 Piece
	2202 01	bracket, long white	8,00 Piece
	2202 03	grey	8,00 Piece
	2202 06	black	8,00 Piece
	2299 01	cover for bracket white	2,00 Piece
	2299 03	grey	2,00 Piece
	2299 06	black	2,00 Piece
	1003 01	mounting profile white	65,00 Meter
	1003 02	silver	65,00 Meter
	1003 05	black-brown	65,00 Meter
	1003 07	brass	65,00 Meter
	2217 01	holder for mounting profile white	7,00 Piece
	2217 02	silber	7,00 Piece
	2217 06	schwarz	7,00 Piece
	2218 01	bracket for mounting profile white	3,00 Piece
	2218 03	grey	3,00 Piece
	2218 06	black	3,00 Piece
	2219 99	pin for bracket mounting profile silver	3,00 Piece
		operating rod for electric crank (without battery) motor)	
	3365 03	125cm	75,00 Piece
	3366 03	150cm	80,00 Piece
	3367 03	200cm	92,00 Piece
	3368 03	250cm	102,00 Piece
		<ul style="list-style-type: none"> <li>• <u>requirements for battery motor:</u></li> <li>• receptacle for 6 mm hexagon</li> <li>• min. 1.3 Ah</li> <li>• 3 - 4 Nm</li> <li>• 3.6 V</li> </ul>	
		manual crank	
	3385 03	125cm	128,00 Piece
	3386 03	150cm	133,00 Piece
	3387 03	200cm	141,00 Piece
	3388 03	250cm	152,00 Piece
	2924 03	clamp for operating rod / crank grey	5,00 Piece

# SIMPLY CELL - SIMPLY PLEAT

---

1 vertical blinds  
rectangular

2 vertical blinds  
special shapes


3 roof blinds  
special shapes

4 accessories  
motorised

5 accessories

6 material properties

## 4 Accessories for motorised blinds



1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular








4 accessories  
motorised

5 accessories

6 material properties

## 4 Accessories for motorised blinds






### Power supplies - controls - switches

	Art. no.	Description	For model type	Price
	4001 99	internal radio receiver (1 per blind) <u>usable from a blind width of:</u> FE = 800 mm PLE 12 = 600 mm	FE, PLE 12	264,00 Piece
	4002 01	external radio receiver (1 per blind)	FE, PLE 12	316,00 Piece
	4003 01	external group radio receiver for max. 5 freehanging blinds or max. 4 roof blinds (for PLE 12 from 901 mm width)	FE, PLE 12	899,00 Piece
	4101 01	radio remote control, 1-channel	FE, PLE 12	166,00 Piece
	4102 01	radio remote control, 5-channel	FE, PLE 12	217,00 Piece
	4103 01	radio control timer, wall mounting	FE, PLE 12	368,00 Piece
	4104 01	radio remote switch, 1-channel, wall mounting	FE, PLE 12	133,00 Piece



## 4 Accessories for motorised blinds

### Power supplies - controls - switches

	Art. no.	Description	For model type	Price
	4202 99	internal power supply (1 per blind) <u>integrable in the head rail from a blind width of:</u> FE = 1100 mm PLE 12 = 800 mm	FE, PLE 12	152,00 Piece
	4201 01	group power supply without connecting cable for max. 6 freehanging blinds or max. 5 roof blinds (consider the connecting cable, order no. 4299 01)	FE, PLE 12	236,00 Piece
	4299 01	connecting cable, 2 m, (for group power supply, order no. 4201 01)	FE, PLE 12	12,00 Piece
	4203 01	wall switch (flush), hard-wired for 1 freehanging or roof blind (for PLE 12 from 901 mm width)	FE, PLE 12	326,00 Piece
	4901 99	extension cable bipolar for power supply, $\varnothing$ 0,75 mm <sup>2</sup>	FE, PLE 12	6,00 Meter

# SIMPLY CELL - SIMPLY PLEAT

---

1 vertical blinds  
rectangular

2 vertical blinds  
special shapes


3 roof blinds  
special shapes

4 accessories  
motorised

5 accessories

6 material properties

## 5 Accessories



1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular

4 accessories  
motorised




5 accessories

6 material properties




# SIMPLY CELL - SIMPLY PLEAT

## 5 Accessories

### Rails

	Art. no.	Description	For model type	Price
		adhesive rail	VS 2 KL	
	1001 01	white		26,00 Meter
	1001 02	silver		26,00 Meter
		adhesive rail for VS 2 Slide	VS 2 Slide	
	1002 01	white		27,00 Meter
	1002 03	grey		27,00 Meter
		mounting profile	all model types PL	
	1003 01	white		65,00 Meter
	1003 02	silver		65,00 Meter
	1003 05	black-brown		65,00 Meter
	1003 07	brass		65,00 Meter

### Fitting accessories

		tension shoe	VS 1, VS 2, VS 3, VS 3 SD	
	2001 01	white		2,00 Piece
	2001 03	grey		2,00 Piece
	2001 06	black	F 1, F 2, F 3, F 4, FE (with guide wires)	2,00 Piece
		tension shoe for bracket	VS 1, VS 2, VS 2 KL VS 3, VS 3 SD	
	2002 01	white		2,00 Piece
	2002 03	grey		2,00 Piece
	2002 06	black	F 1, F 2, F 3, F 4, FE (with guide wires)	2,00 Piece
		tension shoe with snap mechanism	VS 2	
	2003 01	white		2,00 Piece
	2003 03	grey		2,00 Piece
	2003 06	black		2,00 Piece

## 5 Accessories









### Fitting accessories

	Art. no.	Description	For model type	Price
		tension shoe with snap mechanism for bracket	VS 2, VS 2KL	
	2004 01	white		2,00 Piece
	2004 03	grey		2,00 Piece
	2004 06	black		2,00 Piece
		tension shoe for magnetic fixing, metal plate coloured, <b>up to</b> a blind width of 130 cm	VS 2	
	2005 01	white		7,00 Piece
	2005 03	grey		7,00 Piece
	2005 06	black		7,00 Piece
		tension shoe for magnetic fixing, metal plate coloured, for bracket, <b>up to</b> a blind width of 130 cm	VS 2	
	2006 01	white		7,00 Piece
	2006 03	grey		7,00 Piece
	2006 06	black		7,00 Piece
		tension shoe for magnetic fixing, metal plate galvanised, <b>from</b> a blind width of 130 cm instead of the coloured version	VS 2	
	2007 01	white		7,00 Piece
	2007 03	grey		7,00 Piece
	2007 06	black		7,00 Piece
		tension shoe for magnetic fixing, metal plate galvanised, for bracket, <b>from</b> a blind width of 130 cm instead of the coloured version	VS 2	
	2008 01	white		7,00 Piece
	2008 03	grey		7,00 Piece
	2008 06	black		7,00 Piece
		center snap mechanism	VS 2	
	2011 01	white		7,00 Piece
	2011 03	grey		7,00 Piece
	2011 06	black		7,00 Piece

# SIMPLY CELL - SIMPLY PLEAT

## 5 Accessories

### Fitting accessories

	Art. no.	Description	For model type	Price
		anti twist item for tension shoe	VS 1, VS 2, VS 3, VS 3 SD	2,00 Set
	2099 06	black	F 1, F 2, F 3, F 4, FE	
	8001 01	white	VS 2	21,00 Set
	8001 03	grey		21,00 Set
	8001 06	black		21,00 Set
	8002 01	white	VS 2	21,00 Set
	8002 03	grey		21,00 Set
	8002 06	black		21,00 Set
	8003 01	white	VS 2	28,00 Set
	8003 03	grey		28,00 Set
	8003 06	black		28,00 Set
	2353 02	clip for head rail F Touch silver	F Touch	10,00 Piece
	2351 01	clip white	all model types <b>except</b> VS 2 KL, VS 2 Slide	5,00 Piece
	2351 02	silver		5,00 Piece
	2351 06	black		5,00 Piece
	2352 01	clip F 4 / motorised white	F 4, FE, PLK 13, PLE 12	8,00 Piece
	2352 02	silver		8,00 Piece
	2352 06	black		8,00 Piece
	8004 01	mounting plate for narrow window beadings with screws white	VS 2	5,00 Piece

## 5 Accessories










### Fitting accessories

	Art. no.	Description	For model type	Price
		bracket, short	all model types <b>except</b>	
	2201 01	white	VS 2 KL, VS 2 Slide	6,00 Piece
	2201 03	grey		6,00 Piece
	2201 06	black		6,00 Piece
		bracket, long	all model types <b>except</b>	
	2202 01	white	VS 2 KL, VS 2 Slide	6,00 Piece
	2202 03	grey		6,00 Piece
	2202 06	black		6,00 Piece
		cover for bracket	All model types <b>except</b>	
	2299 01	white	VS 2 KL, VS 2 Slide	2,00 Piece
	2299 03	grey		2,00 Piece
	2299 06	black		2,00 Piece
		clamp bracket	VS 1, VS 2, VS 3, VS 3 SD VS 2 KL, VS 2 Slide	
	2301 01	white	F 1, F 2, F 3, F 4, FE	14,00 Piece
	2301 03	grey		14,00 Piece
	2301 06	black		14,00 Piece
	2349 06	sealing pad for clamp bracket black	VS 1, VS 2, VS 3, VS 3 SD VS 2 KL, VS 2 Slide F 1, F 2, F 3, F 4, FE	2,00 Piece
		bracket 100 mm - 150 mm	F 4, FE, F Touch	
	2211 01	white		22,00 Piece
	2211 02	silver		22,00 Piece
	2211 06	black		22,00 Piece
		brackets for adhesive rail, left and right	VS 2 KL	
	2203 01	white		16,00 Set
	2203 03	grey		16,00 Set

# SIMPLY CELL - SIMPLY PLEAT

## 5 Accessories

### Fitting accessories









	Art. no.	Description	For model type	Price
	2921 99	clamping plate for adhesive profile silver	VS 2 KL, VS 2 Slide	1,00 Piece
	2209 99	bracket for VS 2 Slide silver	VS 2 Slide	4,00 Piece
	2210 01	tension shoes and covers VS 2 Slide, left and right white	VS 2 Slide	12,00 Set
	2217 01 2217 02 2217 06	holder for mounting profile white silver black	all model types PL	7,00 Piece 7,00 Piece 7,00 Piece
	2218 01 2218 03 2218 06	bracket for mounting profile white grey black	all model types PL	3,00 Piece 3,00 Piece 3,00 Piece
	2219 99	pin for bracket mounting profile silver	all model types PL	3,00 Piece
	2903 01 2903 03 2903 04	adaptor 11°, adaptable to 44° white grey brown	all model types F	1,00 Piece 1,00 Piece 1,00 Piece
	2904 01 2904 06	adaptor 15° white black	all model types F	2,00 Piece 2,00 Piece
	2905 01 2905 06	adaptor 45° white black	all model types F	2,00 Piece 2,00 Piece

1 vertical blinds rectangular  
2 vertical blinds special shapes  
3 roof blinds special shapes  
4 accessories motorised  
5 accessories  
6 material properties



# 5 Accessories








## Operating accessories

	Art. no.	Description	For model type	Price
		operating handle	all model types VS	
	3031 01	white		6,00 Piece
	3031 03	grey		6,00 Piece
	3031 06	black		6,00 Piece
		design handle	all model types VS,	
	3131 01	white		30,00 Piece
	3131 02	silvergrey		30,00 Piece
	3131 06	black		30,00 Piece
		operating handle for operating rod	all model types VS, PL,	
	3032 01	white		10,00 Piece
	3032 03	grey		10,00 Piece
	3032 06	black		10,00 Piece
		operating handle for middle operating rail and F Touch	VS 3, VS 3 SD, F Touch	
	3033 01	white		10,00 Piece
	3033 03	grey		10,00 Piece
	3033 06	black		10,00 Piece
	3004 00	adaptor operating rail for operating handle 3032 .. transparent	all model types VS, PL	2,00 Piece
	3005 00	adaptor middle operating rail for operating handle 3032 .. transparent	VS 3, VS 3 SD	2,00 Piece
		cord tassel	all model types F	
	3201 01	white		6,00 Piece
	3201 03	grey		6,00 Piece
	3201 06	black		6,00 Piece
	3202 03	tilting device for cord tassel grey	all model types F	2,00 Piece

# SIMPLY CELL - SIMPLY PLEAT





## 5 Accessories

### Operating accessories

	Art. no.	Description	For model type	Price
		cord winder, 1 Piece	all model types F	
	2923 01	white		5,00 Piece
	2923 03	grey		5,00 Piece
	2923 06	black		5,00 Piece
	2922 00	chain holder transparent	F 4	3,00 Piece
		operating rod (only in combination with operating handle 3032 ..)	PL 11	
	3345 03	125 cm		75,00 Piece
	3346 03	150 cm		80,00 Piece
	3347 03	200 cm		92,00 Piece
	3348 03	250 cm		102,00 Piece
		operating rod with joint (only in combination with operating handle 3032 ..)	VS 1-3	
	3305 03	125 cm		87,00 Piece
	3306 03	150 cm		93,00 Piece
	3307 03	200 cm		104,00 Piece
	3308 03	250 cm		115,00 Piece
		manual crank	PLK 13	
	3385 03	125 cm		128,00 Piece
	3386 03	150 cm		133,00 Piece
	3387 03	200 cm		141,00 Piece
	3388 03	250 cm		152,00 Piece
		operating rod for electric crank (without battery motor)	PLK 13	
	3365 03	125 cm		75,00 Piece
	3366 03	150 cm		80,00 Piece
	3367 03	200 cm		92,00 Piece
	3368 03	250 cm		102,00 Piece
		<u>requirements for battery motor:</u>		
	<ul style="list-style-type: none"> <li>• receptacle for 6 mm hexagon</li> <li>• min. 1,3Ah</li> <li>• 3-4 Nm</li> <li>• 3,6V</li> </ul>			
	2924 03	clamp for operating rod / crank grey	all model types with operating rod / crank	5,00 Piece

# 5 Accessories

## Other accessories

	Art. no.	Description	For model type	Price
		weight for chain	F4	
	9002 01	white		5,00 Piece
	9002 06	black		5,00 Piece
	9003 00	metal insertion for weight for chain	F4	2,00 Piece
		cap for tension block	PL 11	
	9004 01	white		2,00 Piece
	9004 03	grey	PLE 12	2,00 Piece
	9004 06	black		2,00 Piece
	9006 99	cleaning cloth for adhesive rails	VS 2 KL, VS 2 Slide	2,00 Piece

# SIMPLY CELL - SIMPLY PLEAT

---

1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
special shapes

4 accessories  
motorised

5 accessories

6 material properties

## 6 Material properties of the fabrics



1 vertical blinds  
rectangular

2 vertical blinds  
special shapes

3 roof blinds  
rectangular

4 accessories  
motorised

5 accessories

6 material properties



# SIMPLY CELL - SIMPLY PLEAT

## 6 Material properties of the fabrics

### Fabric overview SIMPLY CELL (ascending by design no.)

card	design no.	collection name	price group	width cm	material	weight in g/sqm	light fastness	wet cleaning	hand washable at 30°	suitable for damp locations	flame retardant	pearlised	metallised	stain resistant	transparent	semi-transparent	dim out	darkening plus	reflection %	absorption %	transmission %	N 20%	O 6 %	S 5 %	W 6 %	suitable for workstation	Fc-Value (reduction factor) Ref. glass: U = 1,6, DIN/EN 13363
3	1534	Simply Cell	4	225	PES	490	6-7	•		•								•	62	38	0	•	•	•	•	•	0,58
1	1940	Simply Cell	0	225	PES	170	6-7		•	•							•		10	87	3	•	•	•	•	•	0,89
3	1953	Simply Cell	3	225	PES	250	6-7	•		•								•	69	31	0	•	•	•	•	•	0,52
3	2272	Simply Cell	2	225	PES	250	6-7	•		•								•	76	24	0	•	•	•	•	•	0,48
3	2302	Simply Cell	2	225	PES	250	6-7	•		•								•	76	24	0	•	•	•	•	•	0,48
3	2312	Simply Cell	2	225	PES	250	6-7	•		•								•	76	24	0	•	•	•	•	•	0,48

### Fabric overview SIMPLY PLEAT (ascending by design no.)

5	00102	Simply Pleat	2	225	PES	254	5-7	•	•	•								•	79	21	0	•	•	•	•	•	0,50
5	00103	Simply Pleat	3	215	PES	140	6	•	•	•								•	85	15	0	•	•	•	•	•	-
5	00112	Simply Pleat	2	225	PES	254	5-7	•	•	•								•	79	21	0	•	•	•	•	•	0,50
5	00122	Simply Pleat	2	225	PES	254	5-7	•	•	•								•	14	86	0	•	•	•	•	•	-
5	00132	Simply Pleat	2	225	PES	254	5-7	•	•	•								•	5	95	0	•	•	•	•	•	0,69
5	00202	Simply Pleat	2	225	PES	254	5-7	•	•	•								•	72	28	0	•	•	•	•	•	-
5	09910	Simply Pleat	3	240	Trev. CS	155	7	•	•	•	•	•		•	•			50	45	5	•	•	•	•	•	0,61	
5	09911	Simply Pleat	3	240	Trev. CS	155	7	•	•	•	•	•		•	•			50	45	5	•	•	•	•	•	0,61	
5	09912	Simply Pleat	3	240	Trev. CS	155	7	•	•	•	•	•		•	•			52	42	6	•	•	•	•	•	0,60	
5	09913	Simply Pleat	3	240	Trev. CS	155	7	•	•	•	•	•		•	•			50	43	7	•				•	0,62	
5	09914	Simply Pleat	3	240	Trev. CS	155	7	•	•	•	•	•		•	•			51	37	12	•				•	0,61	
5	09920	Simply Pleat	2	240	Trev. CS	155	5-6	•	•	•	•				•			54	0	46						0,62	
4	10003	Simply Pleat	0	230	PES	83	6	•	•	•					•			47	2	51						0,74	
4	10005	Simply Pleat	0	230	PES	83	6	•	•	•					•			44	8	48						0,75	
4	10007	Simply Pleat	0	230	PES	83	6	•	•	•					•			8	82	10	•				•	0,84	
4	10008	Simply Pleat	0	230	PES	83	6	•	•	•					•			20	56	24						0,81	
4	10016	Simply Pleat	0	230	PES	83	6	•	•	•					•			4	95	1	•	•	•	•	•	0,80	
4	10302	Simply Pleat	1	215	PES	100	6	•	•	•					•			50	0	50						0,72	
5	10418	Simply Pleat	0	232	PES	83	6	•	•	•					•			4	93	3	•	•	•	•	•	0,85	
4	10531	Simply Pleat	1	205	PES/CV/Bi	75	5-6	•		•				•	•			47	1	52						0,66	
4	10581	Simply Pleat	1	230	PES	82	5-7	•	•	•					•			38	3	59						0,73	
4	10651	Simply Pleat	1	195	PES	145	5-6	•		•					•			52	0	48						0,62	
4	10658	Simply Pleat	1	195	PES	145	5-6	•		•					•			47	18	35						0,62	
5	20003	Simply Pleat	3	225	PES	205	6-7	•		•					•			•	83	17	0	•	•	•	•	•	0,49
5	20012	Simply Pleat	3	225	PES	205	6-7	•		•					•			•	83	17	0	•	•	•	•	•	0,49
5	20119	Simply Pleat	2	225	PES	165	5-6	•		•	•	•			•			•	76	18	6	•	•	•	•	•	0,48
4	20217	Simply Pleat	1	235	PES	85	6	•	•	•	•	•			•			50	26	24						0,67	
4	20224	Simply Pleat	1	235	PES	85	6	•	•	•	•	•			•			50	29	21						0,67	
4	20502	Simply Pleat	1	215	PES	113	7	•	•	•	•	•			•			68	4	28						0,58	
4	30091	Simply Pleat	2	230	PES	143	5-7	•	•	•					•			46	18	36						0,65	
4	30094	Simply Pleat	2	230	PES	143	5-7	•	•	•					•			36	41	23						0,66	
4	30095	Simply Pleat	2	230	PES	143	5-7	•	•	•					•			48	18	34						0,63	
4	30096	Simply Pleat	2	230	PES	143	5-7	•	•	•					•			37	39	24						0,65	
4	30098	Simply Pleat	2	230	PES	143	5-7	•	•	•					•			6	92	2	•	•	•	•	•	0,86	
4	30131	Simply Pleat	1	230	PES	106	5-7	•	•	•					•			44	3	53						0,70	
4	30631	Simply Pleat	3	230	PES	118	5-7	•	•	•					•			37	2	61						0,74	
4	30636	Simply Pleat	3	230	PES	118	5-7	•	•	•					•			20	33	47						0,79	

